
antibodies -online.com







anti-OSTM1 antibody (AA 120-251)

Images



\sim				
	$ V \cap$	r\/I	19	٨

Overview	
Quantity:	100 μL
Target:	OSTM1
Binding Specificity:	AA 120-251
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This OSTM1 antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunocytochemistry (ICC)
Product Details	
Immunogen:	OSTM1 (Gln120-Gly251)

Immunogen:	OSTM1 (Gln120-Gly251)	
Isotype:	IgG	
Specificity:	The antibody is a rabbit polyclonal antibody raised against OSTM1. It has been selected for its ability to recognize OSTM1 in immunohistochemical staining and western blotting.	
Purification:	Antigen-specific affinity chromatography	


Target Details

Target:	OSTM1
Abstract:	OSTM1 Products
Background:	Alternative Names: GL. GIPN. Chloride channel 7 beta subunit

Application Details


Application Notes:	Western blotting: 1:50-400 Immunocytochemistry in formalin fixed cells: 1:50-500 Immunohistochemistry in formalin fixed frozen section: 1:50-500 Immunohistochemistry in paraffin section: 1:10-100 Enzyme-linked Immunosorbent Assay: 1:100-1:5000 Optimal working dilutions must be determined by end user.	
Comment:	The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.	
Restrictions:	For Research Use only	
Handling		
Format:	Liquid	
Concentration:	Lot specific	
Buffer:	PBS, pH 7.4, containing 0.02 % Sodium azide, 50 % glycerol.	

Images



Immunohistochemistry

Image 1. Used in DAB staining on fromalin fixed paraffinembedded liver tissue



Western Blotting

Image 2. Figure. Western Blot; Sample: Recombinant protein.