
# antibodies - online.com







# anti-OVGP1 antibody (AA 231-476)

**Images** 



$\sim$	
	$r_{1}/_{1}$
$\cup$ $\vee$ $\subset$	rview

Quantity:	100 μL
Target:	OVGP1
Binding Specificity:	AA 231-476
Reactivity:	Mouse
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This OVGP1 antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunocytochemistry (ICC)

# **Product Details**

Immunogen:	OVGP1 (Ser231-Ala476)
Isotype:	IgG
Specificity:	The antibody is a rabbit polyclonal antibody raised against OVGP1. It has been selected for its ability to recognize OVGP1 in immunohistochemical staining and western blotting.
Purification:	Antigen-specific affinity chromatography

# **Target Details**

Background:	Alternative Names: EGP, CHIT5, MUC9, OGP, Mucin 9, Oviductin, Oviduct-Specific Glycoprotein,	
Abstract:	OVGP1 Products	
Target:	OVGP1	

### Estrogen-dependent oviduct protein

# **Application Details**

### Application Notes:

Western blotting: 1:50-400 Immunocytochemistry in formalin fixed cells: 1:50-500
 Immunohistochemistry in formalin fixed frozen section: 1:50-500 Immunohistochemistry in paraffin section: 1:10-100 Enzyme-linked Immunosorbent Assay: 1:100-1:5000 Optimal working dilutions must be determined by end user.

### Comment:

The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37&degC for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.


Restrictions:

For Research Use only

### Handling


Format:	Liquid
Concentration:	Lot specific
Buffer:	PBS, pH 7.4, containing 0.02 % Sodium azide, 50 % glycerol.

### **Images**



## **Western Blotting**

**Image 1.** Figure. Western Blot; Sample: Recombinant protein.



# **Immunohistochemistry**

Image 2. DAB staining on IHC-P; Samples: Mouse Ovary Tissue