antibodies -online.com









Images



()	11/0	r\ /1	$\triangle 1 $
	$\lor \lor \vdash$	$I \vee I$	ew

Quantity:	100 μL
Target:	PANK1
Binding Specificity:	AA 298-500
Reactivity:	Mouse
Host:	Rabbit
Clonality:	Polyclonal
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunocytochemistry (ICC)

Product Details


Immunogen:	PANK1 (Glu298-Arg500)	
Isotype:	IgG	
Specificity:	The antibody is a rabbit polyclonal antibody raised against PANK1. It has been selected for its ability to recognize PANK1 in immunohistochemical staining and western blotting.	
Purification:	Antigen-specific affinity chromatography	

Target Details


Target:	PANK1	
Abstract:	PANK1 Products	
Background:	Alternative Names: PANK, PANK1a, PANK1b, hPanK1, Pantothenic acid kinase 1	
Pathwavs:	Ribonucleoside Biosynthetic Process	

Application Details

Application Notes:	Western blotting: 1:50-400 Immunocytochemistry in formalin fixed cells: 1:50-500 Immunohistochemistry in formalin fixed frozen section: 1:50-500 Immunohistochemistry in paraffin section: 1:10-100 Enzyme-linked Immunosorbent Assay: 1:100-1:5000 Optimal working dilutions must be determined by end user.
Comment:	The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Concentration:	Lot specific
Buffer:	PBS, pH 7.4, containing 0.02 % Sodium azide, 50 % glycerol.




Images




Western Blotting

Image 1. Figure. Western Blot; Sample: Recombinant protein.



Immunohistochemistry

Image 2. DAB staining on IHC-P; Samples: Mouse Stomach Tissue



Immunohistochemistry

Image 3. Used in DAB staining on fromalin fixed paraffinembedded liver tissue