# antibodies -online.com







# anti-PAG1 antibody (AA 138-357)



**Images** 



( )	ve	K\ /		A .
	$\cup$	1 V/	-	V۷

Quantity:	100 μL	
Target:	PAG1	
Binding Specificity:	AA 138-357	
Reactivity:	Rat	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This PAG1 antibody is un-conjugated	
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunocytochemistry (ICC)	

#### **Product Details**


Immunogen:	PAG1 (Ile138-Phe357)
Isotype:	IgG
Specificity:	The antibody is a rabbit polyclonal antibody raised against PAG1. It has been selected for its ability to recognize PAG1 in immunohistochemical staining and western blotting.
Purification:	Antigen-specific affinity chromatography

## **Target Details**

Target:	PAG1	
Abstract:	PAG1 Products	
Background:	Alternative Names: CBP, PAG, Csk-Binding Protein, Transmembrane adapter protein PAG,	


	Transmembrane phosphoprotein Cbp	
Pathways:	p53 Signaling, TCR Signaling, EGFR Signaling Pathway, CXCR4-mediated Signaling Events	
Application Details		
Application Notes:	<ul> <li>Western blotting: 1:50-400 Immunocytochemistry in formalin fixed cells: 1:50-500         Immunohistochemistry in formalin fixed frozen section: 1:50-500 Immunohistochemistry in paraffin section: 1:10-100 Enzyme-linked Immunosorbent Assay: 1:100-1:5000 Optimal working dilutions must be determined by end user.     </li> </ul>	
Comment:	The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37&degC for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.	
Restrictions:	For Research Use only	
Handling		
Format:	Liquid	
Concentration:	Lot specific	
Buffer:	PBS, pH 7.4, containing 0.02 % Sodium azide, 50 % glycerol.	

#### **Images**




### **Western Blotting**

**Image 1.** Western Blot; Sample: Rat Serum; Primary Ab: 3μg/ml Rabbit Anti-Rat PAG1 Antibody Second Ab: 0.2μg/mL HRP-Linked Caprine Anti-Rabbit IgG Polyclonal Antibody (Catalog: SAA544Rb19)



#### **Western Blotting**

**Image 2.** Figure. Western Blot; Sample: Recombinant protein.



#### **Immunohistochemistry**

**Image 3.** Used in DAB staining on fromalin fixed paraffinembedded testis tissue