

Datasheet for ABIN5014130

anti-PLEKHA1 antibody (AA 105-351)**3** Images[Go to Product page](#)

Overview

Quantity:	100 µL
Target:	PLEKHA1
Binding Specificity:	AA 105-351
Reactivity:	Mouse
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This PLEKHA1 antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunocytochemistry (ICC)

Product Details

Immunogen:	PLEKHA1 (Thr105-Leu351)
Isotype:	IgG
Specificity:	The antibody is a rabbit polyclonal antibody raised against PLEKHA1. It has been selected for its ability to recognize PLEKHA1 in immunohistochemical staining and western blotting.
Purification:	Antigen-specific affinity chromatography

Target Details

Target:	PLEKHA1
Alternative Name:	Pleckstrin Homology Domain Containing Family A, Member 1 (PLEKHA1) (PLEKHA1 Products)
Background:	Alternative Names: TAPP1, Tandem PH Domain Containing Protein-1, PH domain-containing

Target Details

family A member 1

Pathways: [Platelet-derived growth Factor Receptor Signaling](#)


Application Details

Application Notes:	<ul style="list-style-type: none">Western blotting: 1:50-400 Immunocytochemistry in formalin fixed cells: 1:50-500 Immunohistochemistry in formalin fixed frozen section: 1:50-500 Immunohistochemistry in paraffin section: 1:10-100 Enzyme-linked Immunosorbent Assay: 1:100-1:5000 Optimal working dilutions must be determined by end user.
Comment:	The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.
Restrictions:	For Research Use only

Handling


Format:	Liquid
Concentration:	Lot specific
Buffer:	PBS, pH 7.4, containing 0.02 % Sodium azide, 50 % glycerol.

Images




Western Blotting

Image 1. Figure. Western Blot; Sample: Recombinant protein.



Immunohistochemistry

Image 2. DAB staining on IHC-P; Samples: Mouse Stomach Tissue



Immunohistochemistry

Image 3. Used in DAB staining on formalin fixed paraffin-embedded Kidney tissue