-online.com antibodies

Datasheet for ABIN5014134 anti-PUF60 antibody (AA 226-549)

2 Images



Overview

Quantity:	100 μL
Target:	PUF60
Binding Specificity:	AA 226-549
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This PUF60 antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunocytochemistry (ICC)

Product Details

Immunogen:	PUF60 (Asn226-GIn549)
lsotype:	lgG
Specificity:	The antibody is a rabbit polyclonal antibody raised against PUF60. It has been selected for its ability to recognize PUF60 in immunohistochemical staining and western blotting.
Purification:	Antigen-specific affinity chromatography

Target Details


Target:	PUF60			
Alternative Name:	Poly U Binding Splicing Factor 60kDa (PUF60) (PUF60 Products)			
Background:	Alternative Names: FIR, SIAHBP1, RoBPI, Fuse Binding Protein Interacting Repressor, Siah			

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 1/3 | Product datasheet for ABIN5014134 | 01/16/2024 | Copyright antibodies-online. All rights reserved. Binding Protein 1, Pyrimidine Tract Binding Splicing Factor, Ro Ribonucleoprotein Binding Protein 1

Application Details

Application Notes:	 Western blotting: 1:50-400 Immunocytochemistry in formalin fixed cells: 1:50-500 Immunohistochemistry in formalin fixed frozen section: 1:50-500 Immunohistochemistry in paraffin section: 1:10-100 Enzyme-linked Immunosorbent Assay: 1:100-1:5000 Optimal working dilutions must be determined by end user.
Comment:	The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Concentration:	Lot specific
Buffer:	PBS, pH 7.4, containing 0.02 % Sodium azide, 50 % glycerol.

Images



Immunohistochemistry

Image 1. Used in DAB staining on fromalin fixed paraffinembedded brain tissue

	estern Bl	ot
kDa 70		←65kDa
		TOSKDa
44		
33		
26		
22		
22		
18		
10		
4.4		
14		
10		

Western Blotting						
Image	2.	Figure.	Western	Blot;	Sample:	Recombinant
protein.						

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 3/3 | Product datasheet for ABIN5014134 | 01/16/2024 | Copyright antibodies-online. All rights reserved.