.-online.com antibodies

Datasheet for ABIN5014168 anti-PTGFRN antibody (AA 22-263)

2 Images



Overview

Quantity:	100 μL
Target:	PTGFRN
Binding Specificity:	AA 22-263
Reactivity:	Mouse
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This PTGFRN antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunocytochemistry (ICC)

Product Details

Immunogen:	PTGFRN (Arg22-Gln263)
lsotype:	lgG
Specificity:	The antibody is a rabbit polyclonal antibody raised against PTGFRN. It has been selected for its ability to recognize PTGFRN in immunohistochemical staining and western blotting.
Purification:	Antigen-specific affinity chromatography

Target Details

Target:	PTGFRN
Abstract:	PTGFRN Products
Background:	Alternative Names: CD315, CD9P-1, EWI-F, FPRP, SMAP-6, CD9 partner 1, Glu-Trp-Ile EWI motif-


Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 1/3 | Product datasheet for ABIN5014168 | 09/10/2023 | Copyright antibodies-online. All rights reserved. containing protein F, Prostaglandin F2-alpha receptor-associated protein

Application Details	
Application Notes:	 Western blotting: 1:50-400 Immunocytochemistry in formalin fixed cells: 1:50-500 Immunohistochemistry in formalin fixed frozen section: 1:50-500 Immunohistochemistry in paraffin section: 1:10-100 Enzyme-linked Immunosorbent Assay: 1:100-1:5000 Optimal working dilutions must be determined by end user.
Comment:	The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Concentration:	Lot specific
Buffer:	PBS, pH 7.4, containing 0.02 % Sodium azide, 50 % glycerol.

Images

We kDa	estern I	Blot	Westerr	n Blo	otting				
70			Image	1.	Figure.	Western	Blot;	Sample:	Recombinant
44			protein.						
33 26	-	←31kDa							
22									
18									
14									
10									

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 2/3 | Product datasheet for ABIN5014168 | 09/10/2023 | Copyright antibodies-online. All rights reserved.



Immunohistochemistry

Image 2. Used in DAB staining on fromalin fixed paraffinembedded Kidney tissue

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 3/3 | Product datasheet for ABIN5014168 | 09/10/2023 | Copyright antibodies-online. All rights reserved.