



[Go to Product page](#)

Datasheet for ABIN5014171

anti-PSMD4/ASF antibody (AA 1-377)

2 Images

Overview

Quantity:	100 µL
Target:	PSMD4/ASF (Psm�4)
Binding Specificity:	AA 1-377
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This PSMD4/ASF antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunocytochemistry (ICC)

Product Details

Immunogen:	PSMD4 (Met1-Lys377)
Isotype:	IgG
Specificity:	The antibody is a rabbit polyclonal antibody raised against PSMD4. It has been selected for its ability to recognize PSMD4 in immunohistochemical staining and western blotting.
Purification:	Antigen-specific affinity chromatography

Target Details

Target:	PSMD4/ASF (Psm�4)
Alternative Name:	Proteasome 26S Subunit, Non ATPase 4 (PSMD4) (Psm�4 Products)
Background:	Alternative Names: ASF, AF-1, AF, MCB1, Rpn10, S5A, pUB-R5, Antisecretory factor 1,

Target Details

Multiubiquitin chain-binding protein, 26S proteasome regulatory subunit RPN10

Pathways: [Mitotic G1-G1/S Phases](#), [DNA Replication](#), [Synthesis of DNA](#), [Ubiquitin Proteasome Pathway](#)

Application Details

Application Notes:

- Western blotting: 1:50-400 Immunocytochemistry in formalin fixed cells: 1:50-500 Immunohistochemistry in formalin fixed frozen section: 1:50-500 Immunohistochemistry in paraffin section: 1:10-100 Enzyme-linked Immunosorbent Assay: 1:100-1:5000 Optimal working dilutions must be determined by end user.

Comment: The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.

Restrictions: For Research Use only


Handling

Format: Liquid

Concentration: Lot specific


Buffer: PBS, pH 7.4, containing 0.02 % Sodium azide, 50 % glycerol.

Images



Western Blotting

Image 1. Figure. Western Blot; Sample: Recombinant protein.



Immunohistochemistry

Image 2. Used in DAB staining on formalin fixed paraffin-embedded Kidney tissue