

Datasheet for ABIN5014195
anti-PTPRA antibody (AA 618-796)

3 Images

[Go to Product page](#)

Overview

Quantity:	100 µL
Target:	PTPRA
Binding Specificity:	AA 618-796
Reactivity:	Rat
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This PTPRA antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunocytochemistry (ICC)

Product Details

Immunogen:	PTPRA (Trp618-Lys796)
Isotype:	IgG
Specificity:	The antibody is a rabbit polyclonal antibody raised against PTPRA. It has been selected for its ability to recognize PTPRA in immunohistochemical staining and western blotting.
Purification:	Antigen-specific affinity chromatography

Target Details

Target:	PTPRA
Alternative Name:	Protein Tyrosine Phosphatase Receptor Type A (PTPRA) (PTPRA Products)
Background:	Alternative Names: PTPR-A, LRP, PTPA, HEPTP, HLPR, HPTPA, HPTPalpha, PTPRL2, R-PTP-

Target Details

alpha, RPTPA, Receptor-type tyrosine-protein phosphatase alpha


Application Details

Application Notes:	<ul style="list-style-type: none">Western blotting: 1:50-400 Immunocytochemistry in formalin fixed cells: 1:50-500 Immunohistochemistry in formalin fixed frozen section: 1:50-500 Immunohistochemistry in paraffin section: 1:10-100 Enzyme-linked Immunosorbent Assay: 1:100-1:5000 Optimal working dilutions must be determined by end user.
Comment:	The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.
Restrictions:	For Research Use only

Handling


Format:	Liquid
Concentration:	Lot specific
Buffer:	PBS, pH 7.4, containing 0.02 % Sodium azide, 50 % glycerol.

Images




Western Blotting

Image 1. Figure. Western Blot; Sample: Recombinant protein.



Immunohistochemistry

Image 2. DAB staining on IHC-P; Samples: Rat Spleen Tissue



Immunohistochemistry

Image 3. Used in DAB staining on formalin fixed paraffin-embedded kidney tissue