-online.com antibodies

Datasheet for ABIN5014273 anti-RHAG antibody (AA 251-450)

3 Images



Overview

Quantity:	100 µL
Target:	RHAG
Binding Specificity:	AA 251-450
Reactivity:	Rat
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This RHAG antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunocytochemistry (ICC)

Product Details

Immunogen:	RHAG (Ala251-Val450)
Isotype:	IgG
Specificity:	The antibody is a rabbit polyclonal antibody raised against RHAG. It has been selected for its ability to recognize RHAG in immunohistochemical staining and western blotting.
Purification:	Antigen-specific affinity chromatography

Target Details


Target:	RHAG
Alternative Name:	Rh Associated Glycoprotein (RHAG) (RHAG Products)
Background:	Alternative Names: CD241, RH2, RH50A, Rh50 GP, SLC42A1, Ammonium Transporter Rh Type

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 1/3 | Product datasheet for ABIN5014273 | 09/10/2023 | Copyright antibodies-online. All rights reserved. A, Rhesus Blood Group-Associated Glycoprotein, Erythrocyte plasma membrane 50 kDa glycoprotein


Application Details


Application Notes:	 Western blotting: 1:50-400 Immunocytochemistry in formalin fixed cells: 1:50-500 Immunohistochemistry in formalin fixed frozen section: 1:50-500 Immunohistochemistry in paraffin section: 1:10-100 Enzyme-linked Immunosorbent Assay: 1:100-1:5000 Optimal working dilutions must be determined by end user.
Comment:	The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Concentration:	Lot specific
Buffer:	PBS, pH 7.4, containing 0.02 % Sodium azide, 50 % glycerol.

Images



Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 2/3 | Product datasheet for ABIN5014273 | 09/10/2023 | Copyright antibodies-online. All rights reserved.





Immunohistochemistry

Image 2. DAB staining on IHC-P; Samples: Rat Skin Tissue

Immunohistochemistry

Image 3. Used in DAB staining on fromalin fixed paraffinembedded heart tissue

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 3/3 | Product datasheet for ABIN5014273 | 09/10/2023 | Copyright antibodies-online. All rights reserved.