antibodies -online.com





anti-TIAM1 antibody (AA 1261-1397)

2 Images



Go to Product page


()	11	\sim	rv		۱ ۸
	1 \ /	⊢	I \/	╙	1/1

Quantity:	100 μL		
Target:	TIAM1		
Binding Specificity:	AA 1261-1397		
Reactivity:	Human		
Host:	Rabbit		
Clonality:	Polyclonal		
Conjugate:	This TIAM1 antibody is un-conjugated		
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunocytochemistry (ICC)		
Product Details			
Immunogen:	TIAM1 (Asp1261-Lys1397)		
Isotype:	IgG		
Specificity:	The antibody is a rabbit polyclonal antibody raised against TIAM1. It has been selected for its ability to recognize TIAM1 in immunohistochemical staining and western blotting.		
Purification:	Antigen-specific affinity chromatography		
Target Details			
Target:	TIAM1		
Alternative Name:	T-Cell Lymphoma Invasion And Metastasis Inducing Protein 1 (TIAM1) (TIAM1 Products)		

Application Details


Application Notes:	Western blotting: 1:50-400 Immunocytochemistry in formalin fixed cells: 1:50-500 Immunohistochemistry in formalin fixed frozen section: 1:50-500 Immunohistochemistry in paraffin section: 1:10-100 Enzyme-linked Immunosorbent Assay: 1:100-1:5000 Optimal working dilutions must be determined by end user.
Comment:	The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Concentration:	Lot specific
Buffer:	PBS, pH 7.4, containing 0.02 % Sodium azide, 50 % glycerol.





Western Blotting

Image 1. Figure. Western Blot; Sample: Recombinant protein.



Immunohistochemistry

Image 2. Used in DAB staining on fromalin fixed paraffinembedded Kidney tissue