antibodies -online.com







anti-THYN1 antibody (AA 1-226)





\sim					
()	VE	۲۱	/1	\triangle	Λ


Background:

Quantity:	100 μL	
Target:	THYN1	
Binding Specificity:	AA 1-226	
Reactivity:	Rat	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This THYN1 antibody is un-conjugated	
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunocytochemistry (ICC)	
Product Details		
1 Toddot Details		
Immunogen:	THYN1 (Met1-Ser226)	
	THYN1 (Met1-Ser226) IgG	
Immunogen:		
Immunogen: Isotype:	lgG The antibody is a rabbit polyclonal antibody raised against THYN1. It has been selected for its	
Immunogen: Isotype: Specificity:	IgG The antibody is a rabbit polyclonal antibody raised against THYN1. It has been selected for its ability to recognize THYN1 in immunohistochemical staining and western blotting.	
Immunogen: Isotype: Specificity: Purification:	IgG The antibody is a rabbit polyclonal antibody raised against THYN1. It has been selected for its ability to recognize THYN1 in immunohistochemical staining and western blotting.	

Alternative Names: THY28, THY28KD, Thymocyte protein Thy28

Application Details


Application Notes:	 Western blotting: 1:50-400 Immunocytochemistry in formalin fixed cells: 1:50-500 Immunohistochemistry in formalin fixed frozen section: 1:50-500 Immunohistochemistry in paraffin section: 1:10-100 Enzyme-linked Immunosorbent Assay: 1:100-1:5000 Optimal working dilutions must be determined by end user. 	
Comment:	The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.	
Restrictions:	For Research Use only	
Handling		
Format:	Liquid	
Concentration:	Lot specific	
Buffer:	PBS, pH 7.4, containing 0.02 % Sodium azide, 50 % glycerol.	



Images

Western Blotting

Image 1. Figure. Western Blot; Sample: Recombinant protein.



Immunohistochemistry

Image 2. Used in DAB staining on fromalin fixed paraffinembedded liver tissue