antibodies - online.com







anti-TRIP6 antibody (AA 279-476)





\sim				
	$ V \cap$	r\/I	19	٨

Quantity:	100 μL	
Target:	TRIP6	
Binding Specificity:	AA 279-476	
Reactivity:	Human	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This TRIP6 antibody is un-conjugated	
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunocytochemistry (ICC)	

Product Details

Immunogen:	TRIP6 (Cys279-Cys476)
Isotype:	IgG
Specificity:	The antibody is a rabbit polyclonal antibody raised against TRIP6. It has been selected for its ability to recognize TRIP6 in immunohistochemical staining and western blotting.
Purification:	Antigen-specific affinity chromatography

Target Details

Target:	TRIP6
Abstract:	TRIP6 Products
Background:	Alternative Names: OIP1, ZRP-1, Opa-interacting protein 1, Zyxin-related protein 1

Pathways:

Cell-Cell Junction Organization

Application Details

Application Notes:

Western blotting: 1:50-400 Immunocytochemistry in formalin fixed cells: 1:50-500
 Immunohistochemistry in formalin fixed frozen section: 1:50-500 Immunohistochemistry in paraffin section: 1:10-100 Enzyme-linked Immunosorbent Assay: 1:100-1:5000 Optimal working dilutions must be determined by end user.

Comment:

The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.


Restrictions:

For Research Use only

Handling


Format:	Liquid	
Concentration:	Lot specific	
Buffer:	PBS, pH 7.4, containing 0.02 % Sodium azide, 50 % glycerol.	

Images



Western Blotting

Image 1. Figure. Western Blot; Sample: Recombinant protein.



Immunohistochemistry

Image 2. Used in DAB staining on fromalin fixed paraffinembedded Kidney tissue