antibodies - online.com







anti-TLR8 antibody (AA 519-812)

Images



O	:
1 1\/\pir	view
\circ	V I C V V

Quantity:	100 μL
Target:	TLR8
Binding Specificity:	AA 519-812
Reactivity:	Rat
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This TLR8 antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunocytochemistry (ICC)

Product Details

Immunogen:	TLR8 (His519-Ser812)
Isotype:	IgG
Specificity:	The antibody is a rabbit polyclonal antibody raised against TLR8. It has been selected for its ability to recognize TLR8 in immunohistochemical staining and western blotting.
Purification:	Antigen-specific affinity chromatography

Target Details

Target:	TLR8
Alternative Name:	Toll Like Receptor 8 (TLR8) (TLR8 Products)
Background:	Alternative Names: CD288

Pathways:

TLR Signaling, Activation of Innate immune Response, Toll-Like Receptors Cascades

Application Details

Application Notes:

Western blotting: 1:50-400 Immunocytochemistry in formalin fixed cells: 1:50-500
 Immunohistochemistry in formalin fixed frozen section: 1:50-500 Immunohistochemistry in paraffin section: 1:10-100 Enzyme-linked Immunosorbent Assay: 1:100-1:5000 Optimal working dilutions must be determined by end user.

Comment:

The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.

Restrictions:

For Research Use only


Handling

Format: Liquid

Concentration: Lot specific


Buffer: PBS, pH 7.4, containing 0.02 % Sodium azide, 50 % glycerol.

Images



Immunohistochemistry

Image 1. Used in DAB staining on fromalin fixed paraffinembedded Kidney tissue



Western Blotting

Image 2. Figure. Western Blot; Sample: Recombinant protein.