antibodies -online.com





anti-TRAPPC10 antibody (AA 1077-1259)

3 Images



Go to Product page

Overview

Background:

Quantity:	100 μL
Target:	TRAPPC10 (TMEM1)
Binding Specificity:	AA 1077-1259
Reactivity:	Mouse
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This TRAPPC10 antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunocytochemistry (ICC)
Product Details	
Immunogen:	TMEM1 (Gly1077-Thr1259)
Isotype:	IgG
Specificity:	The antibody is a rabbit polyclonal antibody raised against TMEM1. It has been selected for its ability to recognize TMEM1 in immunohistochemical staining and western blotting.
Purification:	Antigen-specific affinity chromatography
Target Details	
Target:	TRAPPC10 (TMEM1)
Abstract:	TMEM1 Products

Alternative Names: EHOC1, TRAPPC10, TRS130, Trafficking Protein Particle Complex Subunit

10, Epilepsy holoprosencephaly candidate 1 protein, Transport protein particle subunit TMEM1

Application Details

Application Notes:

Western blotting: 1:50-400 Immunocytochemistry in formalin fixed cells: 1:50-500
 Immunohistochemistry in formalin fixed frozen section: 1:50-500 Immunohistochemistry in paraffin section: 1:10-100 Enzyme-linked Immunosorbent Assay: 1:100-1:5000 Optimal working dilutions must be determined by end user.

Comment:

The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.


Restrictions:

For Research Use only

Handling


Format:	Liquid
Concentration:	Lot specific
Buffer:	PBS, pH 7.4, containing 0.02 % Sodium azide, 50 % glycerol.

Images




Western Blotting

Image 1. Figure. Western Blot; Sample: Recombinant protein.



Immunohistochemistry

Image 2. DAB staining on IHC-P; Samples: Mouse Stomach Tissue



Immunohistochemistry

Image 3. Used in DAB staining on fromalin fixed paraffinembedded kidney tissue