# antibodies - online.com





Datasheet for ABIN5014465

# anti-TUBE1 antibody (AA 225-472)

**Images** 



| $\sim$ |           |      |    |   |
|--------|-----------|------|----|---|
|        | $ V \cap$ | r\/I | 19 | ٨ |

| Overview             |  |
|----------------------|--|
| Quantity:            | 100 μL   |
| Target:              | TUBE1  |
| Binding Specificity: | AA 225-472   |
| Reactivity:          | Human  |
| Host:                | Rabbit   |
| Clonality:           | Polyclonal   |
| Conjugate:           | This TUBE1 antibody is un-conjugated   |
| Application:         | Western Blotting (WB), Immunohistochemistry (IHC), Immunocytochemistry (ICC) |
| Product Details      |  |
| lua na con a mana    | TUD- (/-1005 0470)   |

| Immunogen:    | TUBe (Val225-Ser472)   |
|---------------|--|
| Isotype:      | IgG  |
| Specificity:  | The antibody is a rabbit polyclonal antibody raised against TUBe. It has been selected for its ability to recognize TUBe in immunohistochemical staining and western blotting. |
| Purification: | Antigen-specific affinity chromatography   |

# **Target Details**

| Target:           | TUBE1                                   |
|-------------------|---|
| Alternative Name: | Tubulin Epsilon (TUBe) (TUBE1 Products) |
| Background:       | Alternative Names: TUBE1                |

Pathways:

Microtubule Dynamics

# **Application Details**

### Application Notes:

Western blotting: 1:50-400 Immunocytochemistry in formalin fixed cells: 1:50-500
 Immunohistochemistry in formalin fixed frozen section: 1:50-500 Immunohistochemistry in paraffin section: 1:10-100 Enzyme-linked Immunosorbent Assay: 1:100-1:5000 Optimal working dilutions must be determined by end user.

### Comment:

The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37&degC for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.


Restrictions:

For Research Use only

## Handling


| Format:        | Liquid  |
|----------------|---|
| Concentration: | Lot specific  |
| Buffer:        | PBS, pH 7.4, containing 0.02 % Sodium azide, 50 % glycerol. |

# **Images**



# **Western Blotting**

**Image 1.** Figure. Western Blot; Sample: Recombinant protein.



# **Immunohistochemistry**

**Image 2.** Used in DAB staining on fromalin fixed paraffinembedded Kidney tissue