



Datasheet for ABIN5014467  
**anti-TBCA antibody (AA 2-108)**



[Go to Product page](#)

2 Images

Overview

Quantity:	100 µL
Target:	TBCA
Binding Specificity:	AA 2-108
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This TBCA antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunocytochemistry (ICC)

Product Details

Immunogen:	TBCA (Ala2-Ala108)
Isotype:	IgG
Specificity:	The antibody is a rabbit polyclonal antibody raised against TBCA. It has been selected for its ability to recognize TBCA in immunohistochemical staining and western blotting.
Purification:	Antigen-specific affinity chromatography

Target Details

Target:	TBCA
Abstract:	<a href="#">TBCA Products</a>
Background:	Alternative Names: TBC-A, CFA, Tubulin-Specific Chaperone A, TCP1-chaperonin cofactor A

## Target Details

---

Pathways: [SARS-CoV-2 Protein Interactome](#)

## Application Details

---

Application Notes: 

- Western blotting: 1:50-400 Immunocytochemistry in formalin fixed cells: 1:50-500 Immunohistochemistry in formalin fixed frozen section: 1:50-500 Immunohistochemistry in paraffin section: 1:10-100 Enzyme-linked Immunosorbent Assay: 1:100-1:5000 Optimal working dilutions must be determined by end user.

Comment: The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.

Restrictions: For Research Use only

## Handling

---


Format: Liquid

Concentration: Lot specific

Buffer: PBS, pH 7.4, containing 0.02 % Sodium azide, 50 % glycerol.


## Images

---



### Immunohistochemistry

**Image 1.** Used in DAB staining on formalin fixed paraffin-embedded Kidney tissue



### Western Blotting

**Image 2.** Figure. Western Blot; Sample: Recombinant protein.