

# Datasheet for ABIN5014475

## anti-TNFSF13 antibody (AA 105-250)

2 Images




Go to Product page

_				
( )	ve.	rv/	101	Λ

Overview		
Quantity:	100 μL	
Target:	TNFSF13	
Binding Specificity:	AA 105-250	
Reactivity:	Cow	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This TNFSF13 antibody is un-conjugated	
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunocytochemistry (ICC)	
Product Details		
Immunogen:	TNFSF13 (Ala105-Leu250)	
Isotype:	lgG	
Specificity:	The antibody is a rabbit polyclonal antibody raised against TNFSF13. It has been selected for its ability to recognize TNFSF13 in immunohistochemical staining and western blotting.	
Purification:	Antigen-specific affinity chromatography	
Target Details		
Target:	TNFSF13	
Alternative Name:	Tumor Necrosis Factor Ligand Superfamily, Member 13 (TNFSF13) (TNFSF13 Products)	
Background:	Alternative Names: CD256, APRIL, TALL2, TRDL1, ZTNF2, A Proliferation Inducing Ligand, TNF	


	And APOL Related Leukocyte Expressed Ligand 2, TNF-Related Death Ligand 1	
Pathways:	Regulation of Leukocyte Mediated Immunity, Positive Regulation of Immune Effector Process, Production of Molecular Mediator of Immune Response	
Application Details		
Application Notes:	Western blotting: 1:50-400 Immunocytochemistry in formalin fixed cells: 1:50-500 Immunohistochemistry in formalin fixed frozen section: 1:50-500 Immunohistochemistry in paraffin section: 1:10-100 Enzyme-linked Immunosorbent Assay: 1:100-1:5000 Optimal working dilutions must be determined by end user.	
Comment:	The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37&degC for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.	
Restrictions:	For Research Use only	
Handling		
Format:	Liquid	
Concentration:	Lot specific	
Buffer:	PBS, pH 7.4, containing 0.02 % Sodium azide, 50 % glycerol.	

#### **Images**



### **Western Blotting**

Image 1. Western Blot; Sample: Human Hela cell lysate; Primary Ab: 3μg/ml Rabbit Anti-Bovine TNFSF13 Antibody Second Ab: 0.2μg/mL HRP-Linked Caprine Anti-Rabbit lgG Polyclonal Antibody (Catalog: SAA544Rb19)



#### **Western Blotting**

**Image 2.** Figure. Western Blot; Sample: Recombinant protein.