antibodies -online.com





anti-TNFRSF19 antibody (AA 61-163)

2 Images



Go to Product page

\sim	
()\/⊝	view
\circ	V I C V V

0.0	
Quantity:	100 μL
Target:	TNFRSF19
Binding Specificity:	AA 61-163
Reactivity:	Mouse
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This TNFRSF19 antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunocytochemistry (ICC)
Product Details	
Immunogen:	TNFRSF19 (Glu61-Ser163)
Isotype:	IgG
Specificity:	The antibody is a rabbit polyclonal antibody raised against TNFRSF19. It has been selected for its ability to recognize TNFRSF19 in immunohistochemical staining and western blotting.
Purification:	Antigen-specific affinity chromatography
Target Details	
Target:	TNFRSF19
Abstract:	TNFRSF19 Products
Background:	Alternative Names: TAJ, TAJ-alpha, TRADE, TROY, Toxicity And JNK Inducer


Application Details

Application Notes:	Western blotting: 1:50-400 Immunocytochemistry in formalin fixed cells: 1:50-500 Immunohistochemistry in formalin fixed frozen section: 1:50-500 Immunohistochemistry in paraffin section: 1:10-100 Enzyme-linked Immunosorbent Assay: 1:100-1:5000 Optimal working dilutions must be determined by end user.
Comment:	The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Concentration:	Lot specific

PBS, pH 7.4, containing 0.02 % Sodium azide, 50 % glycerol.


Images

Buffer:



Immunohistochemistry

Image 1. Used in DAB staining on fromalin fixed paraffinembedded Kidney tissue



Western Blotting

Image 2. Figure. Western Blot; Sample: Recombinant protein.