antibodies .- online.com







anti-AP3D1 antibody (AA 400-680)



Image



| \sim | | | |
|--------|-----------------------|------|-----------|
| | $ \backslash / \cap$ | r\/I | \square |

| Quantity: | 100 μg | |
|---|---|--|
| Target: | AP3D1 | |
| Binding Specificity: | AA 400-680 | |
| Reactivity: | Human | |
| Host: | Rabbit | |
| Clonality: | Polyclonal | |
| Conjugate: | This AP3D1 antibody is un-conjugated | |
| Application: | Western Blotting (WB) | |
| Product Details | | |
| Jagot Botano | | |
| Immunogen: | A partial length recombinant AP3 Delta protein (amino acids 400-680) was used as the | |
| | A partial length recombinant AP3 Delta protein (amino acids 400-680) was used as the immunogen for this antibody. | |
| | | |
| Immunogen: | immunogen for this antibody. | |
| Immunogen: Isotype: | immunogen for this antibody. | |
| Immunogen: Isotype: Purification: | immunogen for this antibody. | |
| Immunogen: Isotype: Purification: Target Details | immunogen for this antibody. IgG Protein A Chromatography | |
| Immunogen: Isotype: Purification: Target Details Target: | immunogen for this antibody. IgG Protein A Chromatography AP3D1 | |
| Immunogen: Isotype: Purification: Target Details Target: Alternative Name: | immunogen for this antibody. IgG Protein A Chromatography AP3D1 AP3 Delta (AP3D1 Products) | |

Target Details

| | vesicle turnover and release in the central nervous system (19032734). The AP-3 complex |
|-----|--|
| | facilitates the budding of vesicles from the golgi membrane, and directly involved in trafficking |
| | to lysosomes. It is implicated in intracellular biogenesis and trafficking of pigment granules and |
| | possibly platelet dense granules and neurotransmitter vesicles. |
| nt: | 122 kDa |

Molecular Weight

8943 Gene ID:

UniProt: 014617

Application Details

Application Notes: WB: 2-4 μg/mL

Restrictions: For Research Use only

Handling

| Concentration: | 0.5 mg/mL | |
|--------------------|---|--|
| Buffer: | PBS containing 0.05 % BSA, PH 7.4 | |
| Preservative: | Sodium azide | |
| Precaution of Use: | This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only. | |
| Storage: | 4 °C/-20 °C | |
| Storage Comment: | Store the antibody at 4°C, stable for 6 months. For long-term storage, store at -20°C. Avoid repeated freeze and thaw cycles. | |




Image 1.