antibodies -online.com





anti-FLI1 antibody





Overview

Quantity:	100 μg
Target:	FLI1
Reactivity:	Human
Host:	Mouse
Clonality:	Monoclonal
Conjugate:	This FLI1 antibody is un-conjugated
Application:	Western Blotting (WB)

Product Details

Immunogen:	Full length Fli1 recombinant protein
Clone:	B2
Isotype:	IgG1 kappa
Characteristics:	Fli1 belongs to the ETS transcription factor family and is expressed in megakaryocytes,
	macrophages, B cells and embryonic endothelial cells. It is a transcriptional activator that regulates the genes for Tie-2, GpIIb, MPL and TGF-beta RII. Human FLI1 with predicted MW of
	51KDa is 452 amino acids (aa) in length. The B2 clone was raised against a full length Fli1
	recombinant protein. This was shown to be able to recognize epitopes located within amino
	acids 30-243 of the Fli1 protein. This clone also cross-reacts with the ERG protein, another
	member of the ETS gene family.
Purification:	Purified
Purity:	>95 %

Product Details GMP Grade Grade: **Target Details** FLI1 Target: Alternative Name Fli1 (FLI1 Products) Background: Fli1 belongs to the ETS transcription factor family and is expressed in megakaryocytes, macrophages, B cells and embryonic endothelial cells. It is a transcriptional activator that regulates the genes for Tie-2, GpIlb, MPL and TGF-beta RII. Human FLI1 with predicted MW of 51KDa is 452 amino acids (aa) in length. The B2 clone was raised against a full length Fli1 recombinant protein. This was shown to be able to recognize epitopes located within amino acids 30-243 of the Fli1 protein. This clone also cross-reacts with the ERG protein, another member of the ETS gene family. **Application Details** Restrictions: For Research Use only

Handling	
Format:	Liquid
Buffer:	PBS pH 7.2, 0.1 % (w/v) BSA, 0.09 % (w/v) sodium azide
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	4 °C




Image 1.