

Datasheet for ABIN513186
anti-NR0B1 antibody (AA 1-470)



[Go to Product page](#)

1 Image

Overview

Quantity:	50 µL
Target:	NR0B1
Binding Specificity:	AA 1-470
Reactivity:	Human
Host:	Mouse
Clonality:	Polyclonal
Conjugate:	This NR0B1 antibody is un-conjugated
Application:	Western Blotting (WB)

Product Details

Purpose:	Mouse polyclonal antibody raised against a full-length human NR0B1 protein.
Immunogen:	NR0B1 (NP_000466.2, 1 a.a. ~ 470 a.a) full-length human protein.
Sequence:	MAGENHQWQG SILYNMLMSA KQTRAAPEAP ETRLVDQCWG CSCGDEPGVG REGLLGGRNV ALLYRCCFCG KDHPRQGSIL YSMLTSAKQT YAAPKAPEAT LGPCWGCSCG SDPGVGRAGL PGGRPVALLY RCCFCGEDHP RQGSILYSLL TSSKQTHVAP AAPEARPGGA WWDRSYFAQR PGGKEALPGG RATALLYRCC FCGEDHPQQG STLYCVPTST NQAQAAPEER PRAPWWDTSS GALRPVALKS PQVVCEAASA GLLKTLRFVK YLPCFQVLPL DQQLVLRNC WASLLMLELA QDRLQFETVE VSEPSMLQKI LTTRRRETGG NEPLVPPTLQ HHLAPPAEAR KVPSASQVQA IKCFLSKCWS LNISTKEYAY LKGTVLFPND VPGLQCVKYI QGLQWGTQOI LSEHTRMTHQ GPHDRFIELN STLFLLRFIN ANVIAELFFR PIIGTVSMDD MMLEMLCTKI
Cross-Reactivity:	Human

Product Details

Characteristics: Antibody reactive against mammalian transfected lysate.

Target Details


Target:	NR0B1
Alternative Name:	NR0B1 (NR0B1 Products)
Background:	Full Gene Name: nuclear receptor subfamily 0, group B, member 1 Synonyms: AHC,AHCH,AHX,DAX-1,DAX1,DSS,GTD,HHG,NROB1
Gene ID:	190
NCBI Accession:	NM_000475
Pathways:	Nuclear Receptor Transcription Pathway , Intracellular Steroid Hormone Receptor Signaling Pathway , Steroid Hormone Mediated Signaling Pathway , Regulation of Intracellular Steroid Hormone Receptor Signaling

Application Details

Application Notes:	Optimal working dilution should be determined by the investigator.
Restrictions:	For Research Use only

Handling

Format:	Liquid
Buffer:	No additive
Preservative:	Without preservative
Handling Advice:	Aliquot to avoid repeated freezing and thawing.
Storage:	-20 °C
Storage Comment:	Store at -20°C or lower. Aliquot to avoid repeated freezing and thawing.



Western Blotting

Image 1. Western Blot analysis of NR0B1 expression in transfected 293T cell line by NR0B1 MaxPab polyclonal antibody.

Lane 1: NR0B1 transfected lysate(51.7 KDa).

Lane 2: Non-transfected lysate.