

Datasheet for ABIN514690
anti-CSK antibody (AA 1-450)



[Go to Product page](#)

1 Image

Overview

Quantity:	100 µg
Target:	CSK
Binding Specificity:	AA 1-450
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This CSK antibody is un-conjugated
Application:	Western Blotting (WB)

Product Details

Purpose:	Rabbit polyclonal antibody raised against a full-length human CSK protein.
Immunogen:	CSK (NP_004374.1, 1 a.a. ~ 450 a.a) full-length human protein.
Sequence:	MSAIQAAWPS GTECIAKYNF HGTAEQDLPF CKGDVLTIVA VTKDPNWKYA KNKVGREGII PANYVQKREG VKAGTKLSLM PWFHGKITRE QAERLLYPPE TGLFLVREST NYPGDYTLCV SCDGGKVEHYR IMYHASKLSI DEEVYFENLM QLVEHYTSDA DGLCTRLIKP KVMEGTVAAQ DEFYRSGWAL NMKELKLLQT IGKGEFGDVM LGDYRGNKVA VKCIKNDATA QAFLAEASVM TQLRHSNLVQ LLGVIVEEKG GLYIVTEYMA KGSLVDYLRG RGRSVLGGDC LLKFSLDVCE AMEYLEGNMF VHRDLAARNV LVSEDNVAKV SDFGLTKEAS STQDTGKLPV KWTAPEALRE KKFSTKSDVW SFGILLWEIY SFGRVPYPRI PLKDVVPRVE KGYKMDAPDG CPPAVYEVKM NCWHLDAAMR PSFLQLREQL EHIKTHELHL
Cross-Reactivity:	Human

Product Details

Characteristics: Antibody reactive against mammalian transfected lysate.

Target Details


Target:	CSK
Alternative Name:	CSK (CSK Products)
Background:	Full Gene Name: c-src tyrosine kinase Synonyms: MGC117393
Gene ID:	1445
NCBI Accession:	NM_004383
Pathways:	TCR Signaling , EGFR Signaling Pathway , Cell-Cell Junction Organization , CXCR4-mediated Signaling Events

Application Details

Application Notes:	Optimal working dilution should be determined by the investigator.
Restrictions:	For Research Use only

Handling

Buffer:	In 1x PBS, pH 7.4
Handling Advice:	Aliquot to avoid repeated freezing and thawing.
Storage:	-20 °C
Storage Comment:	Store at -20°C or lower. Aliquot to avoid repeated freezing and thawing.



Western Blotting

Image 1. Western Blot analysis of CSK expression in transfected 293T cell line by CSK MaxPab polyclonal antibody.

Lane 1: CSK transfected lysate(50.70 KDa).

Lane 2: Non-transfected lysate.