

Datasheet for ABIN524144
anti-USP39 antibody (AA 1-565)



[Go to Product page](#)

3 Images

Overview

Quantity:	50 µg
Target:	USP39
Binding Specificity:	AA 1-565
Reactivity:	Human
Host:	Mouse
Clonality:	Polyclonal
Conjugate:	This USP39 antibody is un-conjugated
Application:	Western Blotting (WB), Immunofluorescence (IF)

Product Details

Purpose:	Mouse polyclonal antibody raised against a full-length human USP39 protein.
Immunogen:	USP39 (NP_006581.2, 1 a.a. ~ 565 a.a) full-length human protein.
Sequence:	MSGRSKRESR GSTRGKRESE SRGSSGRVKR ERDREREPEA ASSRGSPVRV KREFEPASAR EAPASVVPFV RVKREREVDE DSEPEREVRA KNGRVDSEDR RSRHCPYLDI INRSVLDFDF EKLCSISLSH INAYAACLVCV KYFQGRGLKS HAYIHSVQFS HHVFLNLHTL KFYCLPDNYE IIDSSLEDIT YVLKPTFTKQ QIANLDKQAK LSRAYDGGTY LPGIVGLNNI KANDYANAVL QALSNPPLR NYFLEEDNYK NIKRPPGDIM FLLVQRFGEI MRKLWNPRNF KAHVSPHEML QAVVLCCKKT FQITKQGDGV DFLSWFLNAL HSALGGTKKK KKTIVTDVFQ GSMRIFTKKL PHPDLPAAEK EQLLHNDEYQ ETMVESTFMY LTLDLPTAPL YKDEKEQLII PQVPLFNILA KFNGITEKEY KTYKENFLKR FQLTKLPPYL IFCIKRFTKN NFFVEKNPTI VNFPIITNDL REYLSEEVQA VHKNTTYDLI ANIVHDGKPS EGSYRIHVLH HGTGKWEYELQ DLQVTDILPQ MITLSEAYIQ IWKRRDNDDET NQQGA

Product Details

Cross-Reactivity:	Human
Characteristics:	Antibody reactive against mammalian transfected lysate.

Target Details


Target:	USP39
Alternative Name:	USP39 (USP39 Products)
Background:	Full Gene Name: ubiquitin specific peptidase 39 Synonyms: CGI-21,HSPC332,MGC75069,SAD1,SNRNP65
Gene ID:	10713
NCBI Accession:	NM_006590
Pathways:	Ribonucleoprotein Complex Subunit Organization

Application Details

Application Notes:	Optimal working dilution should be determined by the investigator.
Restrictions:	For Research Use only

Handling

Buffer:	In 1x PBS, pH 7.4
Handling Advice:	Aliquot to avoid repeated freezing and thawing.
Storage:	-20 °C
Storage Comment:	Store at -20°C or lower. Aliquot to avoid repeated freezing and thawing.




Western Blotting

Image 1. Western Blot analysis of USP39 expression in transfected 293T cell line by USP39 MaxPab polyclonal antibody.


Lane 1: USP39 transfected lysate(62.15 KDa).

Lane 2: Non-transfected lysate.



Immunofluorescence

Image 2. Immunofluorescence of purified MaxPab antibody to USP39 on HeLa cell. [antibody concentration 10 ug/ml]



Western Blotting

Image 3. USP39 MaxPab polyclonal antibody. Western Blot analysis of USP39 expression in Jurkat.