



Datasheet for ABIN525038
anti-FBXO28 antibody (AA 1-368)



[Go to Product page](#)

2 Images

Overview

Quantity:	100 µL
Target:	FBXO28
Binding Specificity:	AA 1-368
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This FBXO28 antibody is un-conjugated
Application:	Western Blotting (WB), Immunoprecipitation (IP)

Product Details

Purpose:	Rabbit polyclonal antibody raised against a full-length human FBXO28 protein.
Immunogen:	FBXO28 (NP_055991.1, 1 a.a. ~ 368 a.a) full-length human protein.
Sequence:	MAAAAEEERMA EEGGGGQGDG GSSLASGSTQ RQPPPPAPQH PQPGSQALPA PALAPDQLPQ NNTLVALPIV AIENILSFMS YDEISQLRLV CKRMDLVCQR MLNQGFLKVE RYHNLCQKQV KAQLPRESE RRNHSLARHA DILAAVETRL SLLNMTFMKY VDSNLCCFIP GKVIDEYRV LRYVNSTRAP QRAHEVLQEL RDISSMAMEY FDEKIVPILK RKLPGSDVSG RLMGSPVPG PSAALTMMQL FSKQNPSRQE VTKLQQQVKT NGAGVTVLRR EISELRTKVQ EQQKQLDQD QKLLEQTQII GEQNARLAEL ERKLEVMES AVGNSSGSGQ NEESPRKRKK ATEAIDSLRK SKRLRNRK
Cross-Reactivity:	Human
Characteristics:	Antibody reactive against mammalian transfected lysate.

Target Details

Target:	FBX028
Alternative Name:	FBX028 (FBX028 Products)
Background:	Full Gene Name: F-box protein 28 Synonyms: FLJ10766,Fbx28,KIAA0483
Gene ID:	23219
NCBI Accession:	NM_015176


Application Details

Application Notes:	Optimal working dilution should be determined by the investigator.
Restrictions:	For Research Use only

Handling


Format:	Liquid
Buffer:	No additive
Preservative:	Without preservative
Handling Advice:	Aliquot to avoid repeated freezing and thawing.
Storage:	-20 °C
Storage Comment:	Store at -20°C or lower. Aliquot to avoid repeated freezing and thawing.

Images



Immunoprecipitation

Image 1. Immunoprecipitation of FBX028 transfected lysate using anti-FBX028 MaxPab rabbit polyclonal antibody and Protein A Magnetic Bead , and immunoblotted with FBX028 purified MaxPab mouse polyclonal antibody (B01P)



Western Blotting

Image 2. Western Blot analysis of FBXO28 expression in transfected 293T cell line by FBXO28 MaxPab polyclonal antibody.

Lane 1: FBXO28 transfected lysate(41.1 kDa).

Lane 2: Non-transfected lysate.