antibodies -online.com







Images



Go to Product page

C)\	е	r١	/	е	V	V

Quantity:	50 μg
Target:	NT5C
Binding Specificity:	AA 1-117
Reactivity:	Human
Host:	Mouse
Clonality:	Polyclonal
Conjugate:	This NT5C antibody is un-conjugated
Application:	Western Blotting (WB), Immunofluorescence (IF), Immunohistochemistry (Paraffin-embedded Sections) (IHC (p))

Product Details

Purpose:	Mouse polyclonal antibody raised against a full-length human NT5C protein.
Immunogen:	NT5C (AAH08183.1, 1 a.a. ~ 117 a.a) full-length human protein.
Sequence:	MARSVRVLVD MDGVLADFEA GLLRGFRRRF PEEPHVPLEQ RRGFLAREQY RALRPDLADK VASVYEAPGF FLDLEPIPGA LDAVREMNDL PDPLLKYHHC VGEKVWLPRP YSARGAA
Cross-Reactivity:	Human
Characteristics:	Antibody reactive against mammalian transfected lysate.
Target Details	

Target: NT5C

Target Details

Alternative Name:	NT5C (NT5C Products)
Background:	Full Gene Name: 5', 3'-nucleotidase, cytosolic Synonyms: DNT,DNT1,P5N2,PN-I,PN-II,UMPH2,cdN,dNT-1
Gene ID:	30833


Application Details

Application Notes:	Optimal working dilution should be determined by the investigator.
Restrictions:	For Research Use only

Handling


Buffer:	In 1x PBS, pH 7.4
Handling Advice:	Aliquot to avoid repeated freezing and thawing.
Storage:	-20 °C
Storage Comment:	Store at -20°C or lower. Aliquot to avoid repeated freezing and thawing.

Images




Immunostaining

Image 1. Immunoperoxidase of <u>purified</u> MaxPab antibody to NT5C on formalin-fixed paraffin-embedded human lung. [antibody concentration 3 ug/ml]



Immunofluorescence

Image 2. Immunofluorescence of <u>purified</u> MaxPab antibody to NT5C on HeLa cell. [antibody concentration 10 ug/ml]



Western Blotting

Image 3. Western Blot analysis of NT5C expression in transfected 293T cell line by NT5C MaxPab polyclonal antibody.

Lane 1: NT5C transfected lysate(12.87 KDa).

Lane 2: Non-transfected lysate.