



[Go to Product page](#)

Datasheet for ABIN528995

anti-NARG2 antibody (AA 1-332)

2 Images

Overview

Quantity:	50 µg
Target:	NARG2
Binding Specificity:	AA 1-332
Reactivity:	Human
Host:	Mouse
Clonality:	Polyclonal
Conjugate:	This NARG2 antibody is un-conjugated
Application:	Western Blotting (WB), Immunofluorescence (IF)

Product Details

Purpose:	Mouse polyclonal antibody raised against a full-length human NARG2 protein.
Immunogen:	NARG2 (AAH13684.1, 1 a.a. ~ 332 a.a) full-length human protein.
Sequence:	<p>MQDELLKPIS RKVPELPLMN LENSQPSVS EQLSGPSDSS SWPKSGWPSA FQKPKGRLPY ELQDYVEDTS EYLAPQEGNF VYKLFSLQDL LLLVRCSVQR IETRPRSKKR KKIRRQFPVY VLPKVEYQAC YGVEALTESE LCRLWTESLL HSNSSFYVGH IDAFTSKLFL LEEITSEELK EKLSALKISN LFNILQHILK KLSSLQEGSY LLSHAAEDSS LLIYKASDGK VTRTAYNLYK THCGLPGVPS SLSVPWVPLD PSLLLPYHIH HGRIPCTFPP KSLDTTTQQK IGGTRMPTRS HRNPVSMETK SSCLPAQQVE TEGVAPHKRK IT</p>
Cross-Reactivity:	Human
Characteristics:	Antibody reactive against mammalian transfected lysate.

Target Details

Target:	NARG2
Alternative Name:	NARG2 (NARG2 Products)
Background:	Full Gene Name: NMDA receptor regulated 2 Synonyms: BRCC1
Gene ID:	79664


Application Details

Application Notes:	Optimal working dilution should be determined by the investigator.
Restrictions:	For Research Use only

Handling

Buffer:	In 1x PBS, pH 7.4
Handling Advice:	Aliquot to avoid repeated freezing and thawing.
Storage:	-20 °C
Storage Comment:	Store at -20°C or lower. Aliquot to avoid repeated freezing and thawing.

Images




Western Blotting

Image 1. Western Blot analysis of NARG2 expression in transfected 293T cell line by NARG2 MaxPab polyclonal antibody.

Lane 1: NARG2 transfected lysate(36.52 KDa).

Lane 2: Non-transfected lysate.



Immunofluorescence

Image 2. Immunofluorescence of purified MaxPab antibody to NARG2 on HeLa cell. (antibody concentration 10 μ g/mL)