



[Go to Product page](#)

Datasheet for ABIN529186

anti-TRIM46 antibody (AA 1-498)

3 Images

Overview

Quantity:	50 µg
Target:	TRIM46
Binding Specificity:	AA 1-498
Reactivity:	Human
Host:	Mouse
Clonality:	Polyclonal
Conjugate:	This TRIM46 antibody is un-conjugated
Application:	Western Blotting (WB), Immunofluorescence (IF)

Product Details

Purpose:	Mouse polyclonal antibody raised against a full-length human TRIM46 protein.
Immunogen:	TRIM46 (AAH69416.1, 1 a.a. ~ 498 a.a) full-length human protein.
Sequence:	MAEGEDMQTF TSIMDALVRI STSMKNMEKE LLCPVCQEMY KQPLVLPCTH NVCQACAREV LGQQGYIGHG GDPSSSEPTSP ASTPSTRSPR LSRRTLPKPD RLDRLKSGF GTYPGRKRGA LHPQVIMFPC PACQGDVELG ERGLAGLFRN LTLERVVERY RQSVSVGGAI LCQLCKPPPL EATKGCTEQR ATFCNECFKL FHPWGTQKAQ HEPTLPTLSF RPKGLMCPDH KEEVTHYCKT CQRLVCQLCR VRRTHSGHKI TPVLSAYQAL KDKLTKSLTY ILGNQDTVQT QICELEEAVR HTEVSGQAK EEVSQLVRGL GAVLEEKRAS LLQAIEECQQ ERLARLSAQI QEHRSLDGS GLVGYAQEV LKTDQPCFVQ AAKQLHNRIA RATEALQTFR PAASSSFRHC QLDVGREMKL LTELNFLRGC GHRGLCSGAP QCLRPPSLTP SAPLPMIRSS CAGGCPPIHH LPGTIPLSSG ARMCLLSQAP PAGSGGRR

Product Details

Cross-Reactivity:	Human
Characteristics:	Antibody reactive against mammalian transfected lysate.

Target Details

Target:	TRIM46
Alternative Name:	TRIM46 (TRIM46 Products)
Background:	Full Gene Name: tripartite motif-containing 46 Synonyms: FLJ23229,GENEY,TRIFIC
Gene ID:	80128


Application Details

Application Notes:	Optimal working dilution should be determined by the investigator.
Restrictions:	For Research Use only

Handling

Buffer:	In 1x PBS, pH 7.4
Handling Advice:	Aliquot to avoid repeated freezing and thawing.
Storage:	-20 °C
Storage Comment:	Store at -20°C or lower. Aliquot to avoid repeated freezing and thawing.

Images




Western Blotting

Image 1. Western Blot analysis of TRIM46 expression in transfected 293T cell line by TRIM46 MaxPab polyclonal antibody.


Lane 1: TRIM46 transfected lysate(54.78 KDa).

Lane 2: Non-transfected lysate.



Immunofluorescence

Image 2. Immunofluorescence of purified MaxPab antibody to TRIM46 on HepG2 cell. [antibody concentration 20 ug/ml]



Immunofluorescence

Image 3. Immunofluorescence of purified MaxPab antibody to TRIM46 on HepG2 cell. (antibody concentration 20 μg/mL)