

Datasheet for ABIN529384  
**anti-TSSK3 antibody (AA 1-268)**



[Go to Product page](#)

2 Images

## Overview

Quantity:	100 µL
Target:	TSSK3
Binding Specificity:	AA 1-268
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This TSSK3 antibody is un-conjugated
Application:	Western Blotting (WB), Immunoprecipitation (IP)

## Product Details

Purpose:	Rabbit polyclonal antibody raised against a full-length human TSSK3 protein.
Immunogen:	TSSK3 (NP_443073.1, 1 a.a. ~ 268 a.a) full-length human protein.
Sequence:	MEDFLLSNGY QLGKTIGEGT YSKVKEAFSK KHQRKVAIKV IDKMGGPEEF IQRFLPRELQ IVRTL DHKNI IQVYEMLESA DGKICLVMEL AEGGDVFDVCV LNGGPLPESR AKALFRQMVE AIRYCHGCGV AHRDLKCENA LLQGFNLKLT DFGFAKVLPK SHRELSQTFC GSTAYAAPEV LQGIPHSK K GDVWSMGVVL YVMLCASLPF DDTDIPKMLW QQQKGVSFPT HLSISADCQD LLKRLLPEPDM ILRPSIEEVS WHPWLAST
Cross-Reactivity:	Human, Mouse
Characteristics:	Antibody reactive against mammalian transfected lysate.

## Target Details

Target:	TSSK3
Alternative Name:	TSSK3 ( <a href="#">TSSK3 Products</a> )
Background:	Full Gene Name: testis-specific serine kinase 3 Synonyms: SPOGA3,STK22C,STK22D
Gene ID:	81629
NCBI Accession:	<a href="#">NM_052841</a>


## Application Details

Application Notes:	Optimal working dilution should be determined by the investigator.
Restrictions:	For Research Use only

## Handling


Format:	Liquid
Buffer:	No additive
Preservative:	Without preservative
Handling Advice:	Aliquot to avoid repeated freezing and thawing.
Storage:	-20 °C
Storage Comment:	Store at -20°C or lower. Aliquot to avoid repeated freezing and thawing.

## Images



### Immunoprecipitation

**Image 1.** Immunoprecipitation of TSSK3 transfected lysate using anti-TSSK3 MaxPab rabbit polyclonal antibody and Protein A Magnetic Bead , and immunoblotted with TSSK3 MaxPab mouse polyclonal antibody (B01) .



### Western Blotting

**Image 2.** Western Blot analysis of TSSK3 expression in transfected 293T cell line by TSSK3 MaxPab polyclonal antibody.

Lane 1: TSSK3 transfected lysate(30.1 kDa).

Lane 2: Non-transfected lysate.