antibodies.com

Datasheet for ABIN529466 anti-Membrane-Spanning 4-Domains, Subfamily A, Member 8 (MS4A8) (AA 1-250) antibody



Image

Overview

Quantity:	50 µg
Target:	Membrane-Spanning 4-Domains, Subfamily A, Member 8 (MS4A8)
Binding Specificity:	AA 1-250
Reactivity:	Human
Host:	Mouse
Clonality:	Polyclonal
Conjugate:	Un-conjugated
Application:	Western Blotting (WB)

Product Details


Purpose:	Mouse polyclonal antibody raised against a full-length human MS4A8B protein.
Immunogen:	MS4A8B (NP_113645.1, 1 a.a. ~ 250 a.a) full-length human protein.
Sequence:	MNSMTSAVPV ANSVLVVAPH NGYPVTPGIM SHVPLYPNSQ PQVHLVPGNP PSLVSNVNGQ
	PVQKALKEGK TLGAIQIIIG LAHIGLGSIM ATVLVGEYLS ISFYGGFPFW GGLWFIISGS
	LSVAAENQPY SYCLLSGSLG LNIVSAICSA VGVILFITDL SIPHPYAYPD YYPYAWGVNP
	GMAISGVLLV FCLLEFGIAC ASSHFGCQLV CCQSSNVSVI YPNIYAANPV ITPEPVTSPP
	SYSSEIQANK
Cross-Reactivity:	Human
Characteristics:	Antibody reactive against mammalian transfected lysate.

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 1/2 | Product datasheet for ABIN529466 | 02/07/2024 | Copyright antibodies-online. All rights reserved.

Target Details	
Target:	Membrane-Spanning 4-Domains, Subfamily A, Member 8 (MS4A8)
Alternative Name:	MS4A8B (MS4A8 Products)
Background:	Full Gene Name: membrane-spanning 4-domains, subfamily A, member 8B Synonyms: 4SPAN4,MS4A4
Gene ID:	83661
NCBI Accession:	NM_031457
Application Details	

Application Notes:	Optimal working dilution should be determined by the investigator.
Restrictions:	For Research Use only
Handling	
Buffer:	In 1x PBS, pH 7.4
Handling Advice:	Aliquot to avoid repeated freezing and thawing.
Storage:	-20 °C
Storage Comment:	Store at -20°C or lower. Aliquot to avoid repeated freezing and thawing.

Images



Western Blotting

Image 1. Western Blot analysis of MS4A8B expression in transfected 293T cell line by MS4A8B MaxPab polyclonal antibody.

Lane 1: MS4A8B transfected lysate(27.5 KDa). Lane 2: Non-transfected lysate.