



[Go to Product page](#)

Datasheet for ABIN531083
anti-C8orf45 antibody (AA 1-585)

1 Image

Overview

Quantity:	50 µL
Target:	C8orf45
Binding Specificity:	AA 1-585
Reactivity:	Human
Host:	Mouse
Clonality:	Polyclonal
Conjugate:	This C8orf45 antibody is un-conjugated
Application:	Western Blotting (WB)

Product Details

Purpose:	Mouse polyclonal antibody raised against a full-length human C8orf45 protein.
Immunogen:	C8orf45 (NP_775789, 1 a.a. ~ 585 a.a) full-length human protein.
Sequence:	MKEAALIYLD RSGGLQKFID DCKYYNSKQ SYAVYRFKIL INPSDVVELD AELGNHILHQ PLKAAEVFQS VCFIAVKTLS LIGQLQTETQ INIVLKLTHL PPLPSYGLDL CEFPLDYTSQ RFYMMQGIVI AMTTITKYTQ GARFLCSDEA CPLSKGFQYI RVHVPGATES ATIRNDFLCN LCASSLQEDR KFRVLGDKQI VEIATKALR AFQGYSNQPF FRFQSLTIFL RDESVNKMNI GNEYKIIGIP TCVKTSQTAV CIEANSITFC NSKVPSGISD NFRCLLSLTS SSCWKFTAIL ANIFASQITP PGTYNLLKLC LLMSLVQTTD RNKELEDCLD ILIITSDTLL IDRLLNFSIN LVPRGIRHLV STEIFPTLSR NKYGTGAVSI QAGSALLAKG GICFIGDLAS HKKDKLEQLQ TVLESRSITV YIPGKKFGED IDQQMTFPVQ CSFWSFVDVD SSSRRNAQKI NTLIGQMDCS LIPANLVEAF GLLINCNESS PCHPFLPTVQ HTLNKAINPE GLFYAASRQF TTEDFEKLLA FAKNLNVEFS LEAERMTHGY YLASRRIRTG SVCGSKLSAS ALKYL

Product Details

Cross-Reactivity:	Human
Characteristics:	Antibody reactive against mammalian transfected lysate.

Target Details


Target:	C8orf45
Alternative Name:	C8orf45 (C8orf45 Products)
Background:	Full Gene Name: chromosome 8 open reading frame 45 Synonyms: FLJ25692
Gene ID:	157777
NCBI Accession:	NM_173518

Application Details

Application Notes:	Optimal working dilution should be determined by the investigator.
Restrictions:	For Research Use only

Handling

Format:	Liquid
Buffer:	No additive
Preservative:	Without preservative
Handling Advice:	Aliquot to avoid repeated freezing and thawing.
Storage:	-20 °C
Storage Comment:	Store at -20°C or lower. Aliquot to avoid repeated freezing and thawing.



Western Blotting

Image 1. Western Blot analysis of C8orf45 expression in transfected 293T cell line by C8orf45 MaxPab polyclonal antibody.

Lane 1: C8orf45 transfected lysate(64.35 KDa).

Lane 2: Non-transfected lysate.