



[Go to Product page](#)

Datasheet for ABIN531801  
**anti-BLID antibody (AA 1-108)**

2 Images

1 Publication

### Overview

Quantity:	50 µL
Target:	BLID
Binding Specificity:	AA 1-108
Reactivity:	Human
Host:	Mouse
Clonality:	Polyclonal
Conjugate:	This BLID antibody is un-conjugated
Application:	Western Blotting (WB), Immunofluorescence (IF)

### Product Details

Purpose:	Mouse polyclonal antibody raised against a full-length human BRCC2 protein.
Immunogen:	BRCC2 (NP_001001786.1, 1 a.a. ~ 108 a.a) full-length human protein.
Sequence:	MVTLLPIEGQ EVHFFEILES ECVLYTGWIE RASGSSIYPE AKARLPLEAL LGSNKEPMLP KETVLSLKRY NLGSSAMKRN VPGHVLQRPS YLTRIQVTLL CNSSAEAL
Cross-Reactivity:	Human
Characteristics:	Antibody reactive against mammalian transfected lysate.

### Target Details

Target:	BLID
Alternative Name:	BLID ( <a href="#">BLID Products</a> )

## Target Details

---

Background: Full Gene Name: BH3-like motif containing, cell death inducer  
Synonyms: BRCC2,BRCC@,MGC163233,MGC163235

---

Gene ID: 414899

---

NCBI Accession: [NM\\_001001786](#)

---

## Application Details

---

Application Notes: Optimal working dilution should be determined by the investigator.

---

Restrictions: For Research Use only

---

## Handling

---

Format: Liquid

---

Buffer: No additive

---

Preservative: Without preservative

---

Handling Advice: Aliquot to avoid repeated freezing and thawing.

---

Storage: -20 °C

---


Storage Comment: Store at -20°C or lower. Aliquot to avoid repeated freezing and thawing.

---

## Publications

---

Product cited in: Staudacher, Naarmann-de Vries, Ujvari, Klinger, Kasim, Benko, Ostareck-Lederer, Ostareck, Bondke Persson, Lorenzen, Meier, Blüthgen, Persson, Henrion-Caude, Mrowka, Föhling: "Hypoxia-induced gene expression results from selective mRNA partitioning to the endoplasmic reticulum." in: **Nucleic acids research**, Vol. 43, Issue 6, pp. 3219-36, (2015) ([PubMed](#)).




### Western Blotting

**Image 1.** Western Blot analysis of BLID expression in transfected 293T cell line by BLID MaxPab polyclonal antibody.

Lane 1: BRCC2 transfected lysate (11.88 kDa).

Lane 2: Non-transfected lysate.



### Immunofluorescence

**Image 2.** Immunofluorescence of purified MaxPab antibody to BRCC2 on HeLa cell. [antibody concentration 10 ug/ml]