## antibodies -online.com





## anti-Rho-related GTP-binding protein antibody (pSer188)





Go to Product page

$\sim$		
( ) , , ,	V / /	1014
1 11//	۱ / ۱ عد	$1 \leftarrow 1 \land 1$

Quantity:	100 μg
Target:	Rho-related GTP-binding protein (RhO (pan))
Binding Specificity:	pSer188
Reactivity:	Human, Mouse, Rat
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This Rho-related GTP-binding protein antibody is un-conjugated
Application:	ELISA, Western Blotting (WB), Immunohistochemistry (IHC), Immunoprecipitation (IP)
Product Details	
Purpose:	Rabbit polyclonal antibody raised against synthetic phosphopeptide of RHO.
•	Nabbit polycional antibody raised against synthetic phosphopeptide of Ni io.
Immunogen:	Synthetic phosphopeptide corresponding to residues surrounding S188 of human RHO.
Immunogen:	Synthetic phosphopeptide corresponding to residues surrounding S188 of human RHO.
Immunogen: Sequence:	Synthetic phosphopeptide corresponding to residues surrounding S188 of human RHO.  KKKSG
Immunogen: Sequence: Specificity:	Synthetic phosphopeptide corresponding to residues surrounding S188 of human RHO.  KKKSG  This antibody recognizes ~24 KDa of human RHO.
Immunogen:  Sequence:  Specificity:  Cross-Reactivity:	Synthetic phosphopeptide corresponding to residues surrounding S188 of human RHO.  KKKSG  This antibody recognizes ~24 KDa of human RHO.  Human, Mouse, Rat
Immunogen:  Sequence:  Specificity:  Cross-Reactivity:  Characteristics:	Synthetic phosphopeptide corresponding to residues surrounding S188 of human RHO.  KKKSG  This antibody recognizes ~24 KDa of human RHO.  Human, Mouse, Rat
Immunogen: Sequence: Specificity: Cross-Reactivity: Characteristics: Target Details	Synthetic phosphopeptide corresponding to residues surrounding S188 of human RHO.  KKKSG  This antibody recognizes ~24 KDa of human RHO.  Human, Mouse, Rat  Antibody Reactive Against Synthetic Peptide.

Target Details		
Gene ID:	6010	
Application Details		
Application Notes:	Western Blot (0.1-1 μg/mL)  ELISA (0.01-0.1 μg/mL)  Immunoprecipitation (2-5 μg/mL)  Immunohistochemistry (2-5 μg/mL)  The optimal working dilution should be determined by the end user.	
Restrictions:	For Research Use only	
Handling		
Format:	Liquid	
Buffer:	In TBS, pH 7.2 (BSA, 10 % Proclin300)	
Preservative:	ProClin	
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.	
Storage:	4 °C,-20 °C,-80 °C	
Storage Comment:	Store at 4°C. For long term storage store at -20°C to -80°C. Aliquot to avoid repeated freezing and thawing.	
Publications		
Product cited in:	Zavzavadjian, Couture, Park, Whalen, Lyon, Lee, Fung, Mi, Liu, Wall, Santat, Dhandapani, Kivork, Driver, Zhu, Chang, Randhawa, Gehrig, Bryan, Verghese, Maer, Saunders, Ning, Subramaniam, Meyer, Simon et al.: "The alliance for cellular signaling plasmid collection: a flexible resource for protein localization studies and signaling pathway analysis" in: <b>Molecular &amp; cellular</b>	

proteomics: MCP, Vol. 6, Issue 3, pp. 413-24, (2007) (PubMed).