antibodies -online.com





anti-SOX9 antibody (pSer181)

2 Images



Publication



Go to Product page

Overview

Quantity:	100 μg
Target:	SOX9
Binding Specificity:	pSer181
Reactivity:	Human, Mouse, Rat, Dog, Cow, Chicken
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This SOX9 antibody is un-conjugated
Application:	Western Blotting (WB), ELISA, Immunohistochemistry (IHC), Immunoprecipitation (IP), Dot Blot (DB)

Product Details

Purpose:	Rabbit polyclonal antibody raised against synthetic phosphopeptide of SOX9.
<u> </u>	
Immunogen:	Synthetic phosphopeptide corresponding to residues surrounding S181 of human SOX9.
Sequence:	RKSVK
Specificity:	This antibody recognizes ~56 KDa of human SOX9 at the phosphorylation site of Ser181. It
	does not cross react to non-phospho SOX9.
Cross-Reactivity:	Chicken, Cow, Dog, Human, Mouse, Rat
Characteristics:	Antibody Reactive Against Synthetic Peptide.

Target Details

Target:	SOX9
Alternative Name:	SOX9 (SOX9 Products)
Gene ID:	6662
Pathways:	EGFR Signaling Pathway, Stem Cell Maintenance, Regulation of Muscle Cell Differentiation, Tube Formation, Skeletal Muscle Fiber Development

Application Details


Application Notes:	Western Blot (0.1-1 μg/mL)
	ELISA (0.01-0.1 μg/mL)
	Immunoprecipitation (2-5 μg/mL)
	Immunohistochemistry (2-5 μg/mL)
	The optimal working dilution should be determined by the end user.
Restrictions:	For Research Use only

Handling

Format:	Liquid
Buffer:	In TBS, pH 7.2 (BSA, 10 % Proclin300)
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	4 °C,-20 °C,-80 °C
Storage Comment:	Store at 4°C. For long term storage store at -20°C or -80°C. Aliquot to avoid repeated freezing and thawing.

Publications

Product cited in: Wang, McKnight, Zhang, Lu, Balk, Yuan: "SOX9 is expressed in normal prostate basal cells and regulates androgen receptor expression in prostate cancer cells." in: **Cancer research**, Vol. 67, Issue 2, pp. 528-36, (2007) (PubMed).



Western Blotting

Image 1. The whole cell lysate derived from conditioned LNCaP were immunoblotted SOX9 (phospho S181) polyclonal antibody at 1:500.

Dot Blot

Image 2. Dot Blot : 1 ug peptide was blot onto NC membrane. A : SOX9 (pS181). B : SOX9 (Paired S181) (Non-phospho). C : Non-related phosphospecific phosphopeptide. Followed were blotted at a 1:1000 dilution by : 1 : SOX9 (phospho S181) polyclonal antibody . 2 : SOX9 polyclonal antibody .