

Datasheet for ABIN541040
anti-RCAS1 antibody (C-Term)[Go to Product page](#)

1 Image

1 Publication

Overview

Quantity:	100 µg
Target:	RCAS1 (EBAG9)
Binding Specificity:	C-Term
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This RCAS1 antibody is un-conjugated
Application:	Western Blotting (WB), ELISA, Immunohistochemistry (IHC), Immunoprecipitation (IP)

Product Details

Purpose:	Rabbit polyclonal antibody raised against synthetic peptide of EBAG9.
Immunogen:	A synthetic peptide corresponding to C-terminus of human EBAG9.
Specificity:	This antibody recognizes ~32 KDa EBAG9.
Cross-Reactivity:	Cow, Dog, Human, Mouse, Rat
Characteristics:	Antibody Reactive Against Synthetic Peptide.

Target Details

Target:	RCAS1 (EBAG9)
Alternative Name:	EBAG9 / RCAS1 (EBAG9 Products)
Gene ID:	9166

Application Details

Application Notes:	Western Blot (0.1-1 µg/mL) ELISA (0.01-0.1 µg/mL) Immunoprecipitation (2-5 µg/mL) The optimal working dilution should be determined by the end user.
--------------------	---


Restrictions:	For Research Use only
---------------	-----------------------

Handling

Format:	Liquid
Buffer:	In TBS, pH 7.2 (BSA, 10 % Proclin300)
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	4 °C, -20 °C
Storage Comment:	Store at 4°C. For long term storage store at -20°C or lower. Aliquot to avoid repeated freezing and thawing.

Publications

Product cited in:	Fukuda, Tsujitani, Maeta, Yamaguchi, Ikeguchi, Kaibara: "The expression of RCAS1 and tumor infiltrating lymphocytes in patients with T3 gastric carcinoma." in: Gastric cancer : official journal of the International Gastric Cancer Association and the Japanese Gastric Cancer Association , Vol. 5, Issue 4, pp. 220-7, (2002) (PubMed).
-------------------	---



Western Blotting

Image 1. The tissue lysate derived from human liver tissue lysate was immunoprobed by EBAG9 polyclonal antibody at 1 : 500. An immunoreactive band is observed around ~32 kDa (1). The lane 2 is a negative control.