# antibodies - online.com





## anti-RIOK2 antibody (C-Term)





Publication



( )	11/0	r\ /1	$\triangle 1 $
	$\lor \lor \vdash$	1 V I	ew

Quantity:	400 μL
Target:	RIOK2
Binding Specificity:	C-Term
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This RIOK2 antibody is un-conjugated
Application:	Western Blotting (WB), ELISA


## **Product Details**

Purpose:	Rabbit polyclonal antibody raised against synthetic peptide of RIOK2.
Immunogen:	A synthetic peptide (conjugated with KLH) corresponding to C-terminus of human RIOK2.
Cross-Reactivity:	Human
Target Details	

Target:	RIOK2
Alternative Name:	RIOK2 (RIOK2 Products)
Gene ID:	55781

## **Application Details**

Application Notes:	ELISA (1:1000)
	Western Blot (1:100-500)
	The optimal working dilution should be determined by the end user.
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Buffer:	In PBS (0.09 % sodium azide)
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which
	should be handled by trained staff only.
Storage:	4 °C,-20 °C
Storage Comment:	Store at 4°C. For long term storage store at -20°C.
	Aliquot to avoid repeated freezing and thawing.
Publications	
Product cited in:	Ota, Suzuki, Nishikawa, Otsuki, Sugiyama, Irie, Wakamatsu, Hayashi, Sato, Nagai, Kimura,
	Makita, Sekine, Obayashi, Nishi, Shibahara, Tanaka, Ishii, Yamamoto, Saito, Kawai, Isono,
	Nakamura, Nagahari et al.: "Complete sequencing and characterization of 21,243 full-length
	human cDNAs" in: Nature genetics, Vol. 36, Issue 1, pp. 40-5, (2003) (PubMed).



### **Western Blotting**

**Image 1.** Western blot analysis of RIOK2 polyclonal antibody in CEM cell line lysate (35 ug/lane). RIOK2 (arrow) was detected using the purified RIOK2 polyclonal antibody (1:60 dilution).