

Datasheet for ABIN545559
anti-NAGK antibody (C-Term)[Go to Product page](#)

2 Images

1 Publication

Overview

| | |
|----------------------|-------------------------------------|
| Quantity: | 400 µL |
| Target: | NAGK |
| Binding Specificity: | C-Term |
| Reactivity: | Human, Mouse |
| Host: | Rabbit |
| Clonality: | Polyclonal |
| Conjugate: | This NAGK antibody is un-conjugated |
| Application: | Western Blotting (WB), ELISA |

Product Details

| | |
|-------------------|--|
| Purpose: | Rabbit polyclonal antibody raised against synthetic peptide of NAGK. |
| Immunogen: | A synthetic peptide (conjugated with KLH) corresponding to C-terminus of human NAGK. |
| Cross-Reactivity: | Human, Mouse |

Target Details

| | |
|-------------------|--|
| Target: | NAGK |
| Alternative Name: | NAGK (NAGK Products) |
| Gene ID: | 55577 |

Application Details

| | |
|--------------------|---|
| Application Notes: | ELISA (1:1000) Western Blot (1:50-100) The optimal working dilution should be determined by the end user. |
| Restrictions: | For Research Use only |


Handling

| | |
|--------------------|--|
| Format: | Liquid |
| Buffer: | In PBS (0.09 % sodium azide) |
| Preservative: | Sodium azide |
| Precaution of Use: | This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only. |
| Storage: | 4 °C,-20 °C |
| Storage Comment: | Store at 4°C. For long term storage store at -20°C. Aliquot to avoid repeated freezing and thawing. |

Publications


| | |
|-------------------|---|
| Product cited in: | Hinderlich, Berger, Schwarzkopf, Effertz, Reutter: "Molecular cloning and characterization of murine and human N-acetylglucosamine kinase." in: European journal of biochemistry / FEBS , Vol. 267, Issue 11, pp. 3301-8, (2000) (PubMed). |
|-------------------|---|

Images



Western Blotting

Image 1. Western blot analysis of 293 cell lysate (35 ug/lane) with NAGK polyclonal antibody .



Western Blotting

Image 2. Western blot analysis of mouse stomach tissue lysate (35 ug/lane) with NAGK polyclonal antibody .