# antibodies - online.com







# **Oncostatin M Protein (OSM)**

**Images** 



#### Overview

Quantity:	10 μg
Target:	Oncostatin M (OSM)
Origin:	Human
Source:	Escherichia coli (E. coli)
Protein Type:	Recombinant
Biological Activity:	Active
Application:	Functional Studies (Func)

# **Product Details**

Characteristics:	Recombinant Human OSM
Purity:	>95 % as determined by SDS-PAGE
Endotoxin Level:	< 1.0 EU of endotoxin/µg of protein

# **Target Details**

Target:	Oncostatin M (OSM)
Alternative Name:	OSM (OSM Products)
Molecular Weight:	26
Gene ID:	5008
UniProt:	P13725


JAK-STAT Signaling, Negative Regulation of Hormone Secretion Pathways:

# **Application Details**

Application Notes:	Optimal working dilution should be determined by the investigator.
Restrictions:	For Research Use only
Handling	


Handling	
Format:	Lyophilized
Reconstitution:	A quick spin of the vial followed by reconstitution in sterile distilled water to a concentration not less than 0.1 mg/mL is recommended. Please note, filter sterilization is a must following reconstitution. This solution can then be diluted into other buffers.
Storage:	4 °C,-20 °C
Storage Comment:	The lyophilized protein is stable for at least one year from date of receipt at -70°C. Upon reconstitution, this cytokine can be stored in working aliquots at 2° - 8°C for one month, or at -20°C for six months, with a carrier protein without detectable loss of activity. Avoid repeated freeze/thaw cycles.

# **Images**



## **SDS-PAGE**

Image 1.



## **Activity Assay**

Image 2.