
# antibodies .- online.com







# **LTA Protein**

**Images** 



#### Overview

Quantity:	20 μg
Target:	LTA
Origin:	Chemical
Source:	Escherichia coli (E. coli)
Protein Type:	Recombinant
Biological Activity:	Active
Application:	Functional Studies (Func)

#### **Product Details**

Characteristics:	Recombinant Human LTA
Purity:	>95 % as determined by SDS-PAGE
Endotoxin Level:	< 1.0 EU of endotoxin/µg of protein

# Target Details

Target:	LTA
Alternative Name:	LTA (LTA Products)
Target Type:	Chemical
Molecular Weight:	19
Gene ID:	4049
UniProt:	P01374

# **Target Details**

Regulation of Leukocyte Mediated Immunity, Positive Regulation of Immune Effector Process


# **Application Details**

Application Notes:	Optimal working dilution should be determined by the investigator.
Restrictions:	For Research Use only


# Handling

Format:	Lyophilized
Reconstitution:	A quick spin of the vial followed by reconstitution in sterile distilled water to a concentration not less than 0.1 mg/mL is recommended. Please note, filter sterilization is a must following reconstitution. This solution can then be diluted into other buffers.
Storage:	4 °C,-20 °C
Storage Comment:	The lyophilized protein is stable for at least one year from date of receipt at -70°C. Upon reconstitution, this cytokine can be stored in working aliquots at 2° - 8°C for one month, or at -20°C for six months, with a carrier protein without detectable loss of activity. Avoid repeated freeze/thaw cycles.

# Validation report #103788 for Haemagglutination (H)



# Activity Assay Image 1.



#### SDS-PAGE

Image 2.