# antibodies -online.com







## **Epiregulin Protein (EREG)**



( )	1/0	r\ / I	014	
( )	ve	I V I	-v	V

Quantity:	25 μg
Target:	Epiregulin (EREG)
Origin:	Human
Source:	Escherichia coli (E. coli)
Protein Type:	Recombinant
Biological Activity:	Active
Application:	Functional Studies (Func)

### **Product Details**

Characteristics:	Recombinant Human Epiregulin (EREG)
Purity:	>95 % as determined by SDS-PAGE
Endotoxin Level:	< 1.0 EU of endotoxin/µg of protein

### **Target Details**

Target:	Epiregulin (EREG)
Abstract:	EREG Products
Molecular Weight:	6
Gene ID:	2069
UniProt:	014944

RTK Signaling, Fc-epsilon Receptor Signaling Pathway, EGFR Signaling Pathway, Neurotrophin Pathways:

#### Signaling Pathway, Regulation of Muscle Cell Differentiation

## Application Details

Application Notes:	Optimal working dilution should be determined by the investigator.	
Restrictions:	For Research Use only	
Handling		
Format:	Lyophilized	
Reconstitution:	A quick spin of the vial followed by reconstitution in sterile distilled water to a concentration not less than 0.1 mg/mL is recommended. Please note, filter sterilization is a must following reconstitution. This solution can then be diluted into other buffers.	
Storage:	4 °C,-20 °C	
Storage Comment:	The lyophilized protein is stable for at least one year from date of receipt at -70°C. Upon reconstitution, this cytokine can be stored in working aliquots at 2° - 8°C for one month, or at -	

freeze/thaw cycles.

20°C for six months, with a carrier protein without detectable loss of activity. Avoid repeated