

Datasheet for ABIN5510608
TGFB2 ELISA Kit



[Go to Product page](#)

1 Image

Overview

Quantity:	96 tests
Target:	TGFB2
Binding Specificity:	AA 303-414
Reactivity:	Dog
Method Type:	Sandwich ELISA
Application:	ELISA

Product Details

Purpose:	Sandwich High Sensitivity ELISA kit for Quantitative Detection of activated Dog Caninea TGF-beta 2
Brand:	PicoKine™
Analytical Method:	Quantitative
Detection Method:	Colorimetric
Specificity:	Expression system for standard: NSO Immunogen sequence: A303-S414
Cross-Reactivity (Details):	There is no detectable cross-reactivity with other relevant proteins.
Characteristics:	Sequence similarities: Belongs to the TGF-beta family.

Target Details

Target:	TGFB2
---------	-------

Target Details


Alternative Name:	TGFB2 (TGFB2 Products)
Background:	Protein Function: TGF-beta 2 has suppressive effects on interleukin-2 dependent T-cell growth. Background: Transforming growth factor-beta 2(TGF-beta 2) is a secreted protein known as a cytokine that performs many cellular functions and has a vital role during embryonic development. This gene is mapped to 1q41. It is an extracellular glycosylated protein. It is known to suppress the effects of interleukin dependent T-cell tumors. TGF-beta 2 is present at elevated levels in the aqueous humor of patients with primary open angle glaucoma(POAG). Studies have shown that TGF-beta 2 influences cultured trabecular meshwork cells, and it reduced outflow facility when perfused into cultured Dog Caninea anterior segments. In POAG, elevated expression of Gremlin by TM cells inhibited BMP4 antagonism of TGF-beta 2 and led to increased extracellular matrix deposition and elevated IOP. Synonyms: Transforming growth factor beta-2,TGF-beta-2,BSC-1 cell growth inhibitor,Cetermin,Glioblastoma-derived T-cell suppressor factor,G-TSF,Polyergin,Latency-associated peptide,LAP,TGFB2, Full Gene Name: Transforming growth factor beta-2 Cellular Localisation: Secreted.
UniProt:	P61812
Pathways:	Cell-Cell Junction Organization , Production of Molecular Mediator of Immune Response , Protein targeting to Nucleus

Application Details

Plate:	Pre-coated
Restrictions:	For Research Use only

Handling

Storage:	4 °C,-20 °C
Storage Comment:	Store at 4 °C for 6 months, at -20 °C for 12 months. Avoid multiple freeze-thaw cycles(Shipped with wet ice.)
Expiry Date:	12 months



ELISA

Image 1. Dog TGF-beta 2 PicoKine ELISA Kit standard curve