
antibodies - online.com





Datasheet for ABIN5510612

TGFB2 ELISA Kit





Overview

Quantity:	96 tests
Target:	TGFB2
Binding Specificity:	AA 303-414
Reactivity:	Rabbit
Method Type:	Sandwich ELISA
Application:	ELISA
Product Details	
Purpose:	Sandwich High Sensitivity ELISA kit for Quantitative Detection of activated rabbit TGF-beta 2
Brand:	PicoKine™
Analytical Method:	Quantitative
Detection Method:	Colorimetric
Specificity:	Expression system for standard: NSO
	Immunogen sequence: A303-S414
Cross-Reactivity (Details):	There is no detectable cross-reactivity with other relevant proteins.
Characteristics:	Sequence similarities: Belongs to the TGF-beta family.
Target Details	
Target:	TGFB2
Alternative Name:	TGFB2 (TGFB2 Products)

Target Details

Background:

Protein Function: TGF-beta 2 has suppressive effects on interleukin-2 dependent T-cell growth. Background: Transforming growth factor-beta 2(TGF-beta 2) is a secreted protein known as a cytokine that performs many cellular functions and has a vital role during embryonic development. This gene is mapped to 1q41. It is an extracellular glycosylated protein. It is known to suppress the effects of interleukin dependent T-cell tumors. TGF-beta 2 is present at elevated levels in the aqueous humor of patients with primary open angle glaucoma(POAG). Studies have shown that TGF-beta 2 influences cultured trabecular meshwork cells, and it reduced outflow facility when perfused into cultured rabbit anterior segments. In POAG, elevated expression of Gremlin by TM cells inhibited BMP4 antagonism of TGF-beta 2 and led to increased extracellular matrix deposition and elevated IOP.

Synonyms: Transforming growth factor beta-2,TGF-beta-2,BSC-1 cell growth

Synonyms: Transforming growth factor beta-2,TGF-beta-2,BSC-1 cell growth inhibitor,Cetermin,Glioblastoma-derived T-cell suppressor factor,G-TSF,Polyergin,Latency-associated peptide,LAP,TGFB2,

Full Gene Name: Transforming growth factor beta-2

Cellular Localisation: Secreted.

UniProt:

P61812

Pathways:

Cell-Cell Junction Organization, Production of Molecular Mediator of Immune Response, Protein targeting to Nucleus

Application Details

Р	late:
	atc.

Pre-coated

Restrictions:

For Research Use only

Handling

$C+ \circ$	roo	_
Sto	Iau	le

4 °C,-20 °C

Storage Comment:


Store at 4°C for 6 months, at -20°C for 12 months. Avoid multiple freeze-thaw cycles(Shipped

with wet ice.)

Expiry Date:

12 months

Rabbit TGF-beta 2 ELISA Kit



ELISA

Image 1. Rabbit TGF-beta 2 PicoKine ELISA Kit standard curve