## antibodies -online.com





Datasheet for ABIN5510627

### **HFE2 ELISA Kit**





Overview	
Quantity:	96 tests
Target:	HFE2
Binding Specificity:	AA 36-400
Reactivity:	Human
Method Type:	Sandwich ELISA
Application:	ELISA
Product Details	
Purpose:	Sandwich High Sensitivity ELISA kit for Quantitative Detection of Human Hemojuvelin/RGM-C
Brand:	PicoKine™

Purpose:	Sandwich High Sensitivity ELISA kit for Quantitative Detection of Human Hemojuvelin/RGM-C
Brand:	PicoKine™
Analytical Method:	Quantitative
Detection Method:	Colorimetric
Specificity:	Expression system for standard: NSO Immunogen sequence: Q36-D400
Cross-Reactivity (Details):	There is no detectable cross-reactivity with other relevant proteins.
Characteristics:	Tissue Specificity: Adult and fetal liver, heart, and skeletal muscle

## **Target Details**

Target:	HFE2
Alternative Name:	HFE2 (HFE2 Products)

### **Target Details**

Background:

Protein Function: Acts as a bone morphogenetic protein (BMP) coreceptor. Through enhancement of BMP signaling regulates hepcidin (HAMP) expression and regulates iron homeostasis...

Background: Hemojuvelin (HJV/RGMc/HFE2) is a membrane-bound and soluble protein in mammals. It is a member of the repulsive guidance molecule family of proteins. In humans, the hemojuvelin protein is encoded by the HFE2 gene. The product of this gene is involved in iron metabolism. It may be a component of the signaling pathway which activates hepcidin or it may act as a modulator of hepcidin expression. It could also represent the cellular receptor for hepcidin. Two uORFs in the 5' UTR negatively regulate the expression and activity of the encoded protein. Alternatively spliced transcript variants encoding different isoforms have been identified for this gene. Defects in this gene are the cause of hemochromatosis type 2A, also called juvenile hemochromatosis (JH). JH is an early-onset autosomal recessive disorder due to severe iron overload resulting in hypogonadotrophic hypogonadism, hepatic fibrosis or cirrhosis and cardiomyopathy, occurring typically before age of 30.

Synonyms: Hemojuvelin, Hemochromatosis type 2 protein, RGM domain family member C,HFE2,HJV, RGMC,

Full Gene Name: Hemojuvelin

Cellular Localisation: Cell membrane, Lipid-anchor, GPI-anchor . Also released in the extracellular space..

UniProt:

Q6ZVN8

12 months

Pathways:

**Expiry Date:** 

Transition Metal Ion Homeostasis

### **Application Details**

Plate:	Pre-coated
Restrictions:	For Research Use only
Handling	
Storage:	4 °C,-20 °C
Storage Comment:	Store at 4°C for 6 months, at -20°C for 12 months. Avoid multiple freeze-thaw cycles(Shipped with wet ice.)

# Human Hemojuvelin ELISA Kit O O O Concentration(pg/ml)

### **ELISA**

**Image 1.** Human Hemojuvelin/RGM-C PicoKine ELISA Kit standard curve