antibodies - online.com







TYRO3 ELISA Kit





Overview

Overview	
Quantity:	96 tests
Target:	TYR03
Binding Specificity:	AA 41-428
Reactivity:	Human
Method Type:	Sandwich ELISA
Application:	ELISA
Dua duat Dataila	
Product Details	

Purpose:	Sandwich High Sensitivity ELISA kit for Quantitative Detection of Human DTK/TYRO3
Brand:	PicoKine™
Analytical Method:	Quantitative
Detection Method:	Colorimetric
Specificity:	Expression system for standard: NSO Immunogen sequence: A41-S428
Cross-Reactivity (Details):	There is no detectable cross-reactivity with other relevant proteins.
Characteristics:	Tissue Specificity: Abundant in the brain and lower levels in other tissues.

Target Details

Target:	TYRO3
Alternative Name:	TYRO3 (TYRO3 Products)

Background:

Protein Function: Receptor tyrosine kinase that transduces signals from the extracellular matrix into the cytoplasm by binding to several ligands including TULP1 or GAS6. Regulates many physiological processes including cell survival, migration and differentiation. Ligand binding at the cell surface induces dimerization and autophosphorylation of TYRO3 on its intracellular domain that provides docking sites for downstream signaling molecules. Following activation by ligand, interacts with PIK3R1 and thereby enhances PI3-kinase activity. Activates the AKT survival pathway, including nuclear translocation of NF-kappa-B and up-regulation of transcription of NF-kappa-B-regulated genes. TYRO3 signaling plays a role in various processes such as neuron protection from excitotoxic injury, platelet aggregation and cytoskeleton reorganization. Plays also an important role in inhibition of Toll-like receptors (TLRs)-mediated innate immune response by activating STAT1, which selectively induces production of suppressors of cytokine signaling SOCS1 and SOCS3.

Background: Tyrosine-protein kinase receptor TYRO3 is an enzyme that in humans is encoded by the TYRO3 gene. The gene is part of a 3-member transmembrane receptor kinase receptor family with a processed pseudogene distal on chromosome 15. The encoded protein is activated by the products of the growth arrest-specific gene 6 and protein S genes and is involved in controlling cell survival and proliferation, spermatogenesis, immunoregulation and phagocytosis. The encoded protein has also been identified as a cell entry factor for Ebola and Marburg viruses.

Synonyms: Tyrosine-protein kinase receptor TYRO3,2.7.10.1,Tyrosine-protein kinase BYK,Tyrosine-protein kinase DTK,Tyrosine-protein kinase RSE,Tyrosine-protein kinase SKY,Tyrosine-protein kinase TIF,TYRO3,BYK, DTK, RSE, SKY, TIF,

Full Gene Name: Tyrosine-protein kinase receptor TYRO3

Cellular Localisation: Cell membrane, Single-pass type I membrane protein.

UniProt: Q06418

Pathways: RTK Signaling

Application Details

Plate: Pre-coated

Restrictions: For Research Use only


Handling

Storage: 4 °C,-20 °C

Handling

Storage Comment:	Store at 4°C for 6 months, at -20°C for 12 months. Avoid multiple freeze-thaw cycles(Shipped
	with wet ice.)
Expiry Date:	12 months

Images



ELISA

Image 1. Human DTK/TYRO3 PicoKine ELISA Kit standard curve