

Datasheet for ABIN5510692

**R-Spondin 3 ELISA Kit****1** Image[Go to Product page](#)

## Overview

Quantity:	96 tests
Target:	R-Spondin 3 (RSP03)
Binding Specificity:	AA 22-277
Reactivity:	Mouse
Method Type:	Sandwich ELISA
Application:	ELISA

## Product Details

Purpose:	Sandwich High Sensitivity ELISA kit for Quantitative Detection of Mouse R-Spondin-3
Brand:	PicoKine™
Analytical Method:	Quantitative
Detection Method:	Colorimetric
Specificity:	Expression system for standard: NSO Immunogen sequence: Q22-H277
Cross-Reactivity (Details):	There is no detectable cross-reactivity with other relevant proteins.
Characteristics:	Tissue Specificity: Highly expressed in endothelial cells (PubMed:26766444). .

## Target Details

Target:	R-Spondin 3 (RSP03)
Alternative Name:	Rspo3 ( <a href="#">RSP03 Products</a> )

## Target Details

Background:	<p>Protein Function: Activator of the canonical Wnt signaling pathway by acting as a ligand for LGR4-6 receptors, which acts as a key regulator of angiogenesis (PubMed:16543246, PubMed:21693646, PubMed:26766444). Upon binding to LGR4-6 (LGR4, LGR5 or LGR6), LGR4-6 associate with phosphorylated LRP6 and frizzled receptors that are activated by extracellular Wnt receptors, triggering the canonical Wnt signaling pathway to increase expression of target genes. Also regulates the canonical Wnt/beta-catenin-dependent pathway and non-canonical Wnt signaling by acting as an inhibitor of ZNRF3, an important regulator of the Wnt signaling pathway. Acts as a ligand for frizzled FZD8 and LRP6. May negatively regulate the TGF-beta pathway (PubMed:16543246, PubMed:21693646). Acts as a key regulator of angiogenesis by controlling vascular stability and pruning: acts by activating the non-canonical Wnt signaling pathway in endothelial cells (PubMed:26766444). .</p> <p>Background: R-spondin-3 is a protein that in humans is encoded by the RSPO3 gene. This gene belongs to the R-spondin family. The encoded protein plays a role in the regulation of Wnt (wingless-type MMTV integration site family)/beta-catenin and Wnt/planar cell polarity (PCP) signaling pathways, which are involved in development, cell growth and disease pathogenesis. Genome-wide association studies suggest a correlation of this gene with bone mineral density and risk of fracture. This gene may be involved in tumor development.</p> <p>Synonyms: R-spondin-3,Cabriolet,Cysteine-rich and single thrombospondin domain-containing protein 1 ,Cristin-1 ,Nucleopondin ,Roof plate-specific spondin-3,Rspo3,</p> <p>Full Gene Name: R-spondin-3</p> <p>Cellular Localisation: Secreted.</p>
-------------	---


UniProt:	<a href="#">Q2TJ95</a>
----------	------------------------

## Application Details

Plate:	Pre-coated
Restrictions:	For Research Use only

## Handling

Storage:	4 °C,-20 °C
Storage Comment:	Store at 4°C for 6 months, at -20°C for 12 months. Avoid multiple freeze-thaw cycles(Shipped with wet ice.)
Expiry Date:	12 months



**ELISA**

**Image 1.** Mouse R-Spondin-3 PicoKine ELISA Kit standard curve