# antibodies -online.com





## anti-Nephrin antibody (AA 1084-1241)

1 Image

2

**Publications** 



Go to Product page

( )	11	$\sim$	rv		۱ ۸
	1 \ /	⊢	I \/	╙	1/1

Purification:

Quantity:	100 μg
Target:	Nephrin (NPHS1)
Binding Specificity:	AA 1084-1241
Reactivity:	Human, Mouse, Rat
Host:	Rabbit
Clonality:	Polyclonal
Application:	Western Blotting (WB)
Product Details	
Purpose:	Rabbit IgG polyclonal antibody for Nephrin(NPHS1) detection. Tested with WB in Human,Mouse,Rat.
Immunogen:	E.coli-derived human Nephrin recombinant protein (Position: V1084-V1241). Human Nephrin shares 79.9% and 75.3% amino acid (aa) sequence identity with mouse and rat Nephrin, respectively.
Isotype:	IgG
Cross-Reactivity (Details):	No cross reactivity with other proteins.
Characteristics:	Rabbit IgG polyclonal antibody for Nephrin(NPHS1) detection. Tested with WB in Human,Mouse,Rat.  Gene Name: nephrosis 1, congenital, Finnish type (nephrin)  Protein Name: Nephrin
D :(: ':	

Immunogen affinity purified.

### Target Details

-			
Target:	Nephrin (NPHS1)		
Alternative Name:	NPHS1 (NPHS1 Products)		
Background:	NPHS1, also called Nephrin, is mapped to 19q13.12. This gene encodes a member of the		
	immunoglobulin family of cell adhesion molecules that functions in the glomerular filtration		
	barrier in the kidney. It gene is primarily expressed in renal tissues, and the protein is a type-1		
	transmembrane protein found at the slit diaphragm of glomerular podocytes. The slit		
	diaphragm is thought to function as an ultrafilter to exclude albumin and other plasma		
	macromolecules in the formation of urine. A defect in the gene for nephrin, NPHS1, is		
	associated with congenital nephrotic syndrome of the Finnish type and causes massive		
	amounts of protein to be leaked into the urine, orproteinuria. NPHS1 is also required for		
	cardiovascular development.		
	Synonyms: CNF   Nephrin   NPHN   NPHS 1   NPHS1   060500		
Gene ID:	4868		
UniProt:	O60500		
Pathways:	Regulation of Actin Filament Polymerization, Skeletal Muscle Fiber Development		
Application Details			
Application Notes:	WB: Concentration: 0.1-0.5 μg/mL, Tested Species: Human, Mouse, Rat		
	Notes: Tested Species: Species with positive results.		
	Other applications have not been tested. Optimal dilutions should be determined by end users		
Comment:	Antibody can be supported by chemiluminescence kit ABIN921124 in WB.		
Restrictions:	For Research Use only		
Handling			
Format:	Lyophilized		
Reconstitution:	Add 0.2 mL of distilled water will yield a concentration of 500 µg/mL.		
Concentration:	500 μg/mL		
Buffer:	Each vial contains 5 mg BSA, 0.9 mg NaCl, 0.2 mg Na2HPO4, 0.05 mg Sodium azide.		
Preservative:	Sodium azide		
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which		

#### Handling


	should be handled by trained staff only.
Storage:	4 °C,-20 °C
Storage Comment:	At -20°C for one year. After reconstitution, at 4°C for one month.  It can also be aliquotted and stored frozen at -20 °C for a longer time. Avoid repeated freezing and thawing.

#### **Publications**

Product cited in:

Zhao, Xu, Song, Nian, Zhou, Wang et al.: "2,3,5,4'-tetrahydroxystilbene-2-O-?-d-glucoside protects human umbilical vein endothelial cells against lysophosphatidylcholine-induced apoptosis by upregulating superoxide dismutase and glutathione ..." in: **IUBMB life**, Vol. 66, Issue 10, pp. 711-22, (2014) (PubMed).

#### **Images**



#### **Western Blotting**

**Image 1.** Western blot analysis of Nephrin expression in rat kidney extract (Lane 1), mouse kidney extract (Lane 2) and 293T whole cell lysates (Lane 3). Nephrin at 134KD was detected using rabbit anti- Nephrin Antigen Affinity purified polyclonal antibody (Catalog #) at  $0.5 \, \mu \text{g/mL}$ . The blot was developed using chemiluminescence (ECL) method (Catalog # EK1002).