

Datasheet for ABIN5526621

**IL6RA Protein (AA 20-365) (His tag,AVI tag,Biotin)**[Go to Product page](#)**2** Images

## Overview

Quantity:	200 µg
Target:	IL6RA
Protein Characteristics:	AA 20-365
Origin:	Human
Source:	HEK-293 Cells
Protein Type:	Recombinant
Biological Activity:	Active
Purification tag / Conjugate:	This IL6RA protein is labelled with His tag,AVI tag,Biotin.

## Product Details

Brand:	PrecisionAvi
Sequence:	AA 20-365
Specificity:	Biotinylation of this product is performed using Avitag™ technology. Briefly, the single lysine residue in the Avitag is enzymatically labeled with biotin.
Characteristics:	This protein carries an Avi tag (Avitag™) at the C-terminus, followed by a polyhistidine tag. The protein has a calculated MW of 41.7 kDa. The protein migrates as 55-70 kDa under reducing (R) condition (SDS-PAGE) due to glycosylation.
Purity:	>95 % as determined by SDS-PAGE.
Endotoxin Level:	Less than 1.0 EU per µg by the LAL method.

## Target Details

---

Target:	IL6RA
Alternative Name:	IL-6 R alpha ( <a href="#">IL6RA Products</a> )
Background:	<p>Interleukin 6 receptor (IL6R) is also known as CD126 (Cluster of Differentiation 126) , is a potent pleiotropic cytokine that regulates cell growth and differentiation of various tissues, and is known particularly for its role in the immune response and acute phase reactions. IL6R is a protein complex consisting of a IL-6 receptor subunit (IL6R) and interleukin 6 signal transducer Glycoprotein 130. IL6R also denotes the human gene encoding this subunit. Alternatively spliced transcript variants encoding distinct isoforms have been reported. IL6R subunit also shared by many other cytokines. The soluble form of IL6R arises from proteolytic cleavage of membrane-bound IL6R<math>\alpha</math>, and acts agonistically by making the IL6 ligand accessible to the signal transducer gp130. Dysregulated production of IL6 and IL6R are implicated in the pathogenesis of several inflammatory diseases and malignancies such as multiple myeloma, rheumatoid arthritis, or osteoporosis, and it has been reported that a humanized anti-IL6R monoclonal antibody is a promising agent applicable to the therapeutic approach for IL6 driven diseases. Interleukin-6 receptor has been shown to interact with Interleukin 6 and Ciliary neurotrophic factor.</p>
Molecular Weight:	41.7 kDa
NCBI Accession:	<a href="#">NP_000556</a>
Pathways:	<a href="#">JAK-STAT Signaling</a> , <a href="#">Autophagy</a> , <a href="#">Growth Factor Binding</a> , <a href="#">Cancer Immune Checkpoints</a>

## Application Details



---

Comment:	<p>Ready-to-use Avitag<sup>TM</sup> biotinylated protein:</p> <p>The product is exclusively produced using the Avitag<sup>TM</sup> technology. Briefly, a unique 15 amino acid peptide, the Avi tag, is introduced into the recombinant protein during expression vector construction. The single lysine residue in the Avi tag is enzymatically biotinylated by the E. Coli biotin ligase BirA.</p> <p>This single-point enzymatic labeling technique brings many advantages for commonly used binding assays. The biotinylation happens on the lysine residue of Avi tag, and therefore does NOT interfere with the target protein's natural binding activities. In addition, when immobilized on an avidin-coated surface, the protein orientation is uniform because the position of the Avi tag in the protein is precisely controlled.</p>
Restrictions:	For Research Use only

## Handling

Format:	Lyophilized
Buffer:	PBS, pH 7.4
Handling Advice:	Please avoid repeated freeze-thaw cycles.
Storage:	-20 °C

## Images



### ELISA

**Image 1.** Immobilized Human IL-6, Tag Free (ABIN2181322,ABIN3071739) at 5 µg/mL (100 µL/well) can bind Biotinylated Human IL-6 R alpha, Avitag,His Tag (ABIN5526620,ABIN5526621) with a linear range of 4-125 ng/mL (QC tested).

### SDS-PAGE

**Image 2.** Biotinylated Human IL-6 R alpha, Avitag,His Tag on under reducing (R) condition. The gel was stained overnight with Coomassie Blue. The purity of the protein is greater than 95 % .