# antibodies .- online.com







## FLT4 Protein (AA 25-776) (Fc Tag)

**Images** 



#### Overview

Quantity:	100 μg
Target:	FLT4
Protein Characteristics:	AA 25-776
Origin:	Human
Source:	HEK-293 Cells
Protein Type:	Recombinant
Biological Activity:	Active
Purification tag / Conjugate:	This FLT4 protein is labelled with Fc Tag.

#### **Product Details**

Sequence:	AA 25-776
Characteristics:	This protein carries a human IgG1 Fc tag at the C-terminus. The protein has a calculated MW of 111.2 kDa. As a result of glycosylation, the protein migrates as 140-160 kDa under reducing (R) condition, and 280-320 kDa under non-reducing (NR) condition (SDS-PAGE).
Purity:	>95 % as determined by SDS-PAGE.
Endotoxin Level:	Less than 1.0 EU per µg by the LAL method.

## **Target Details**

Target:	FLT4
Alternative Name:	VEGF R3 (FLT4 Products)

#### **Target Details**

Bac	kar	'nΙ	ın	Ч.
Duo		$\sim$	<i>.</i>	ч.

Vascular endothelial growth factor receptor 3 (VEGF R3), also known as FLT-4, together with the other two members VEGFR1 (FLT-1) and VEGFR2 (KDR/Flk-1) are receptors for vascular endothelial growth factors (VEGF) and belong to the class III subfamily of receptor tyrosine kinases (RTKs). VEGF R3 mediates lymphangiogenesis in response to VEGF-C and VEGF-D. VEGF R3 is widely expressed in the early embryo but becomes restricted to lymphatic endothelia at later stages of development. It is likely that VEGF R3 may be important for lymph angiogenesis.

Molecular Weight: 111.2 kDa

NCBI Accession: NP\_002011

Pathways: RTK Signaling, Signaling Events mediated by VEGFR1 and VEGFR2, VEGF Signaling

### **Application Details**


Restrictions:

For Research Use only

#### Handling


Format:	Lyophilized
Buffer:	Tris with Glycine, Arginine and NaCl, pH 7.5
Handling Advice:	Please avoid repeated freeze-thaw cycles.
Storage:	-20 °C


#### **Images**



#### **ELISA**

**Image 1.** Immobilized Human VEGF R3, Fc Tag (ABIN5526635,ABIN5526636) at  $5 \mu g/mL$  (100  $\mu L/well$ ) can bind Human VEGF-D, His Tag (ABIN2181913) with a linear range of 0.08-0.6  $\mu g/mL$  (Routinely tested).





# **Human VEGF R3, Fc Tag ELISA** 0.5 μg of Human VEGF-C, His Tag per well 3.0 2.5 (Mean Abs.(0D450) 2.0 1.5 1.0 0.0 Human VEGF R3, Fc Tag Con. (ng/mL)

#### **SDS-PAGE**

Image 2. Human VEGF R3, Fc Tag on under reducing (R) and ing (NR) conditions. The gel was stained overnight with Coomassie Blue. The purity of the protein is greater than 95%.

#### **ELISA**

**3.** Immobilized Human VEGF-C, His Tag **Image** (ABIN2444233,ABIN2181912) at  $5 \mu g/mL$  (100  $\mu L/well$ ) can bind Human VEGF R3, Fc Tag (ABIN5526635,ABIN5526636) with a linear range of 0.6-10 ng/mL (QC tested).