# .-online.com antibodies

# Datasheet for ABIN5526699 NLRP2 ELISA Kit



#### Overview

Quantity:	96 tests
Target:	NLRP2
Binding Specificity:	pSer343, total
Reactivity:	Human
Method Type:	Cell ELISA
Application:	ELISA

#### Product Details

Purpose:	Cell-Based ELISA Kit. This assay semi-quantitatively measures NBS1 phosphorylated at Serine-
	343 as well as total NBS1 in adherent cell lines.
Sample Type:	Adherent Cell Culture
Analytical Method:	Semi-Quantitative
Detection Method:	Colorimetric
Specificity:	This ELISA kit recognizes Human NBS1 phosphorylated at site Serine-343 as well as total
	NBS1.
Characteristics:	Rapidly measure phosphorylated protein in adherent cell lines
	Simultaneously measure Phosphorylated protein and pan protein in one experiment (for
	normalization purpose)
	No sample lysis is needed
	Compatible with a standard ELISA plate reader
Components:	Uncoated 96-well Strip Microplate

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 1/3 | Product datasheet for ABIN5526699 | 09/10/2023 | Copyright antibodies-online. All rights reserved.

	<ul> <li>Wash Buffers</li> <li>Fixing Solution</li> <li>Quenching Buffer</li> <li>Blocking Buffer</li> <li>Anti-phospho antibody</li> <li>Anti-pan antibody</li> <li>HRP-Conjugated Secondary Antibody</li> <li>TMB One-Step Substrate</li> <li>Stop Solution</li> </ul>
Material not included:	<ul> <li>Distilled or deionized water</li> <li>100 mL and 1 liter graduated cylinders</li> <li>Tubes to prepare sample dilutions</li> <li>Protease and Phosphatase inhibitors</li> <li>Precision pipettes to deliver 2 µL to 1 mL volumes</li> <li>Adjustable 1-25 mL pipettes for reagent preparation</li> <li>Benchtop rocker or shaker</li> <li>Microplate reader capable of measuring absorbance at 450 nm</li> </ul>

### Target Details

Target:	NLRP2
Alternative Name:	NBS1 (NLRP2 Products)
Gene ID:	55655
UniProt:	Q9NX02
Pathways:	Production of Molecular Mediator of Immune Response, Positive Regulation of Endopeptidase Activity, Inflammasome

## Application Details

Application Notes:	Optimal working dilution should be determined by the investigator.
Plate:	Pre-coated
Protocol:	1. Prepare all reagents and samples as instructed in the manual.
	2. Add 100 $\mu$ L of sample or positive control to each well.
	3. Incubate 2.5 h at RT or O/N at 4 °C.
	4. Add 100 μL of prepared primary antibody to each well.
	5. Incubate 1 h at RT.
	6. Add 100 $\mu$ L of prepared 1X HRP-Streptavidin to each well.

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 2/3 | Product datasheet for ABIN5526699 | 09/10/2023 | Copyright antibodies-online. All rights reserved.

	<ol> <li>7. Incubate 1 h at RT.</li> <li>8. Add 100 μL of TMB One-Step Substrate Reagent to each well.</li> <li>9. Incubate 30 min at RT.</li> <li>10. Add 50 μL of Stop Solution to each well.</li> <li>11. Read at 450 nm immediately.</li> </ol>
Restrictions:	For Research Use only
Handling	
Storage:	-20 °C
Storage Comment:	Upon receipt, the kit should be stored at -20 °C. Please use within 6 months from the date of shipment. After initial use, Wash Buffer Concentrate (Item B), Assay Diluent (Item E), TMB One-Step Substrate Reagent (Item H), HRP-Streptavidin (Item G), Stop Solution (Item I) and Cell Lysate Buffer (Item J) should be stored at 4 °C to avoid repeated freeze-thaw cycles. Return unused wells to the pouch containing desiccant pack, reseal along entire edge and store at -20 °C. Reconstituted Positive Control (Item K) should be stored at -70 °C.
Expiry Date:	6 months