# antibodies - online.com







# anti-HSD17B13 antibody (N-Term)





_							
0	V	е	r١	/1	е	V	1

Quantity:	200 μL
Target:	HSD17B13
Binding Specificity:	AA 81-110, N-Term
Reactivity:	Human, Mouse
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This HSD17B13 antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (Paraffin-embedded Sections) (IHC (p))
Product Details	
Immunogen:	This DHB13 antibody is generated from rabbits immunized with a KLH conjugated synthetic
	peptide between 81-110 amino acids from the N-terminal region of human DHB13.
Isotype:	Ig Fraction
Purification:	This antibody is purified through a protein A column, followed by peptide affinity purification.
Target Details	
Target:	HSD17B13
Alternative Name:	DHB13 (HSD17B13 Products)
Molecular Weight:	34 kDa
Gene ID:	345275

## **Target Details**

JniProt:	Q7Z5P4
----------	--------

# **Application Details**

Application Notes:	For WB starting dilution is: 1:1000


For IHC-P starting dilution is: 1:50~100

Restrictions: For Research Use only

# Handling


Format:	Liquid
Concentration:	0.5 mg/mL
Buffer:	Supplied in PBS with 0.09 % (W/V) sodium azide.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	4 °C,-20 °C
Storage Comment:	Store at 4°C for three months and -20°C, stable for up to one year. As with all antibodies care should be taken to avoid repeated freeze thaw cycles. Antibodies should not be exposed to prolonged high temperatures.

# **Images**



### Immunohistochemistry

**Image 1.** DHB13 Antibody immunohistochemistry analysis in formalin fixed and paraffin embedded human hepatocarcinoma followed by peroxidase conjugation of the secondary antibody and DAB staining.



#### **Western Blotting**

**Image 2.** Western blot analysis in mouse kidney tissue lysates (15ug/lane). This demonstrates the detected DHB13 protein (arrow).